

FASHION ISN'T JUST ABOUT CLOTHES.

IT'S

IT'S THE CULTURE WE EXPERIENCE, the places we travel, the things we eat and yes, the way we design our homes.

LIRSINE.

For those who embrace fashion as a lifestyle, every choice they make is an opportunity to make a statement. To put their taste and perspective on display. To elevate their surroundings—and inspire those around them.

Those people aren't just wearing fashion; *they're living it.*



TABLE of CONTENTS



18 | THE NEXT LEVEL



32 | BON APPETIT & BRIZO



112 | ULTIMATE SERENITY

- 4 Style Continuum
- 6 Product Continuum
- 8 Confidence Has A Look

Art Meets Craft: Introducing the New Litze™ Bath Collection, 10 A Fitting Collaboration: Jason Wu for Brizo;™ 14

16 Luxury in Every Detail

The Next Level:

The Articulating Kitchen Faucet with SmartTouch® Technology 18 Crafted to Perfection, 20

22 Designing for the Future

Innovations for the Kitchen, 24 Innovations for the Bath, 26 Sustainable Luxury, 30

30 Kitchen

32 Bon Appetit & Brizo Artesso,® 34

Baliza,® 36 Belo,® 38

Solna,® 40 Talo,® 42

Tresa,® 44

Venuto® 46

Vuelo, 48

Pot Fillers, 50

Beverage Faucets, 50

52 Bath

Baliza® 54

Charlotte® 58

Litze™ (NEW), 62

Loki®66

Odin,™ 70

Jason Wu for Brizo™ 74

Quiessence, 78

Rook™ 82

RSVP®86

Siderna,® 90

Sotria,® 94

Tresa,® 98

Vesi®102

Virage® 106

110 Shower

Ultimate Serenity, 112

H₂Okinetic® Technology, 114

Choose Your Level of Luxury, 116

Pressure Balance Showers, 118

TempAssure® Thermostatic Showers, 120

TempAssure® Thermostatic Showers with Integrated Diverter, 122

Sensori® Showers, 124

Wall Mount Showerheads, 126

Ceiling Mount Raincan Showerheads, 127

Hydrati[®] 2|1 Showers, 128

Handshowers, 130

HydraChoice™ Max Body Spray System, 132

134 Decorative ADA Grab Bars

Style CONTINUUM

FROM STATELY TO MODERN, AND ALL THAT'S IN BETWEEN.

Brizo® is a luxury fittings brand for people who understand that fashion isn't just about the clothes they wear — but their entire lifestyle.

We create distinctive designs that don't just complete rooms — they inspire spaces.

And that inspiration begins right here: all Brizo collections are arranged on the style continuum, from stately to modern. So identify the look you desire and then find the Brizo collection to match.





















STATELY

The stately style draws inspiration from classical design periods to create an authentic, heavily ornate space. Natural materials, including marble and limestone, combine with woods in deep, rich tones, such as mahogany, to ground the style with a sense of history.

TRADITIONAL

The traditional style taps into a sense of heritage and longevity, creating a comfortable, broken-in look reflective of years of use. Dark wood tones pair with matte and distressed finishes to create an aesthetic that's formal and decorative in nature, while still retaining a warm, handcrafted feel.

CASUAL

The casual style is all about timeless design. Traditional, historic or vintage styles are given a fresh look with clean lines that defy aging. A de-emphasis of decoration and ornamentation keeps the focus on the simple sophistication of the design, and creates a comfortable, relaxed atmosphere.

CONTEMPORARY

Minimalist and streamlined, the contemporary style seeks to create feelings of simplicity, harmony and balance. Clean lines and simple designs pair with sleek, streamlined hardware in stainless steel, polished nickel or chrome finishes. Light-grained woods and stone bring warmth to the space.

MODERN

Simplicity is at the heart of what it means to be modern. Objects and spaces feature crisp, clean, minimalist lines with a decided geometric bent. Edges are more defined; everything is stripped down to its essence. Ultimately, the modern style is a celebration of the beauty to be found in man-made objects.

KITCHEN Continuum

COLLECTIONS ARRANGED FROM STATELY TO MODERN.



KITCHEN & BATH FINISHES



BATH Continuum

 $\mathsf{ODIN}^\mathsf{TM}$


PC BN BL PCBL BNBL

70

BL

JASON WU FOR BRIZO™ 74

COLLECTIONS ARRANGED FROM STATELY TO MODERN.









CUTTING-EDGE DESIGN IS THE DRIVING FORCE BEHIND EVERY BRIZO® COLLECTION.

We don't hesitate to push beyond the predictable to create something truly unique—looking past what's known to discover what's next.





INTRODUCING THE NEW LITZE™ BATH COLLECTION

Timeless design. Enduring craftsmanship.

The Litze Bath Collection beautifully combines both virtues—taking an old style and creating something completely new.

"In Litze, we've created a collection where everything has a purpose, which leads to a design that's modern, refined, clean—and surprisingly multi-faceted," says Jordan Bahler, Brizo® Lead Industrial Designer.

Merging distinctive design with meticulous craftsmanship creates a look that stands the test of time. Litze is perfectly at home in a modern classic environment or an urban, industrial space.

VIEW COMPLETE LITZE COLLECTION | PG 62











The versatility can be credited to the impressive variety of styles and configurations the collection offers. This includes three unique handle options—Lever, T-Lever, and Industrial Lever—as well as high and low spout widespread lavatories and single-handle deck and wall mount lavatories. Throughout the collection, solid brass knurling is subtly applied—an exquisite detail inspired by the revival of the arts and crafts movement that creates an industrial yet refined look.

IN LITZE™ WE'VE CREATED A COLLECTION WHERE EVERYTHING HAS A PURPOSE

Similarly, the effortless curve of the faucet's bent tube spout reflects the emphasis on simplicity in the Bauhaus design school—another movement that played a key role in the collection's inspiration.

The collection's beauty and innovation extends to the showering space, as well. The slide bar handshower with wheel features solid brass knurled elements, while a jointed shower arm allows you to position the showerhead just to your liking. And the new thermostatic shower valve features integrated volume, temperature and diverter controls—an example of elegance in both style and functionality.

Indeed, this level of refined, elegant thinking is a fitting theme for the collection as a whole. With its timeless details, thoughtful innovations and myriad style options, the Litze Bath Collection is the epitome of Brizo® design: a seamless marriage of both art and craft.



e're always looking for new ways to challenge the status quo and stake out territory where no one else has

ventured. It was this pioneering spirit that led us to do something more than a little unexpected:

enter the world of fashion.



Our passion to work with the best in any industry brought us to a young, talented designer named Jason Wu— and the rest is history. Over time, our relationship with Jason has evolved, culminating in the stunning Jason Wu for Brizo™ Bath Collection. Collaborating with a fashion designer on a faucet is something no one in our industry had done, and was a resounding statement of purpose.

The collection, too, makes an unforgettable statement. Inspired by Jason's signature aesthetic, it features architectures that are sleek and modern, wrapped in a striking matte black finish—delivering, in every way, Jason's original vision of true fashion for the home.

JASON WU FOR BRIZO™ BATH COLLECTION | PG 74



ATELIER 216









CRAFTSMANSHIP IS ESSENTIAL TO BRINGING EACH AND EVERY STATEMENT TO LIFE.

No facet is too small to be thoughtfully designed, meticulously detailed—and throughly obsessed over. Our focus on artistry results in intricate touches like the knurling texture throughout the Litze™ Bath Collection, leads to revolutionary functionality like the Articulating Kitchen Faucet, and allows us to create things no one else can, like the twist in our Virage® Bath Collection. Finally, demonstrating that our focus on craft is evident at every stage, each product is carefully assembled by hand—ensuring only the highest quality standards are met.















With SmartTouch Technology, you simply touch anywhere on the faucet's body, handle or arm to turn water flow on or off. And integrated TemplD™ Technology lets you know how warm or cool the water is with an LED light that changes colour as the water changes temperature.


"The Articulating Kitchen Faucet is designed to adapt to the way you work," says Celine Garland, Brizo Lead Industrial Designer. "The beauty of the articulating arm is how well it can direct water where you need it; and with the addition of SmartTouch Technology, you have even more freedom in the kitchen."

SMARTTOUCH® TECHNOLOGY GIVES YOU EVEN MORE FREEDOM IN THE KITCHEN

CELINE GARLAND, BRIZO LEAD INDUSTRIAL DESIGNER

Adds Brizo Product Manager Sarah Schlifke, "The exposed hose design is striking to look at—both timeless and modern. And more than that, it's truly functional, as well."

The Articulating Kitchen Faucet with SmartTouch Technology is available within two of Brizo's most distinctive kitchen collections: Artesso® and Solna®.



owhere else is the craftsmanship in every Brizo® product more evident than our tub fillers—like the handcrafted knurling texture in the Litze™ Collection or the delicate twist in the Virage® Collection—the unique elements are enhanced by the scale of the tub fillers.

Brizo offers both single-handle and two-handle freestanding tub fillers to fit any room aesthetic. Single-handle tub fillers effortlessly evoke a contemporary design aesthetic—bringing stunning new life to a modern or traditional bath space. Beyond simply making a statement, Brizo tub fillers incorporate a wealth of innovative features, including an indexing handshower to ensure drips land in the tub instead of on the floor, as well as H₂Okinetic® handshowers (on select models) to provide an indulgent experience, while using less water.







Classic and timeless, the two-handle design pairs traditional styling with an array of configurations and trim kit options, allowing you to create a look that matches virtually any space. Separate trim kits include the handshower, spout and handles, and are designed to coordinate with a variety of Brizo bath collections, while floor mount, deck mount and wall mount installation options offer an added degree of flexibility.

Each floor mount tub filler pairs with a state-of-the-art rough that ensures faucet stability, simplifies installation and allows for constant spout height to the finished floor. And the high flow rate on all models allows you to fill the tub more efficiently—and escape to your private retreat even faster.





PESIGNING FOR THE FURTHE

INNOVATION INSPIRES EVERYTHING WE DO,

from expertly engineered Articulating Kitchen Faucets and breakthrough SmartTouch® and SmartTouchPlus™ technologies, to our revolutionary H₂Okinetic® Technology for the shower. Fashion never stands still, and neither do we.

SMARTTOUCH® TECHNOLOGY

Kitchen convenience starts with a touch.

Allowing you to activate water flow with a simple touch to the faucet body, spout or handle, SmartTouch Technology brings a new level of convenience to the kitchen. This functionality makes it easy to activate water flow only when needed, helping reduce water usage and promoting efficiency of motion. Integrated TemplDTM Technology lets you know how warm or cool the water is with an LED light that changes colour as the water changes temperature.



Durable by design.

Our DIAMOND Seal Technology uses a diamond-coated valve to bring you a faucet built to last up to 5 million uses. With its durable components and simple construction, a DIAMOND Seal Technology valve lasts up to 10 times longer than the industry standard (based on ASME 112.18.1 of up to 500,000 cycles).







MAGNEDOCK® TECHNOLOGY

A new kind of security.

The first technology of its kind available, MagneDock features a patented, state-of-the-art magnetic docking system. In the kitchen, this system securely holds the spray wand in place when not in use. The durable magnets are made to last forever, while their polarity keeps the spray head perfectly aligned, for a clean, seamless look that maintains the faucet's distinctive form.



2-BUTTON, 4-FUNCTION SPRAY WAND

Take control.

This innovative feature provides users with exceptional control of their faucet's water flow. Alternate between stream and spray, control the water's volume in spray or stream mode, and even pause and restart the flow—all with two button simplicity. For both cooking and clean-up, take control of your water like never before.

SMARTTOUCH*PLUS*™ TECHNOLOGY

Set your hands free.

The next generation of SmartTouch® Technology, SmartTouchPlus adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation. Integrated TempID™ Technology lets you know how warm or cool the water is with an LED light that changes colour as the water changes temperature. It's a whole new level of control—and convenience.



TEMPIQ® TEMPERATURE CONTROL TECHNOLOGY

$A\ smarter\ take\ on\ temperature.$

TempIQ Temperature Control Technology is powered by an electronic thermostatic valve, EPV™, that senses the water temperature before it leaves the spout. An LED light changes colour to let you know exactly when water has reached your desired temperature. The valve continually adjusts the hot/cold water mix to maintain a consistent water temperature with no sudden (and unwelcome) increases or decreases, while the true high-temperature limit stop offers an added degree of safety.





H₂OKINETIC® TECHNOLOGY

Better showers. Less water.

H₂Okinetic Technology is the study of water in motion, and Brizo® Custom Shower Systems were the first to bring this revolutionary technology to market. By controlling water's shape, velocity and thermal dynamics, we've reinvented the showering experience—creating a warmer, more luxurious spray that blankets the body, giving the feeling of a high-flow spray with a fraction of the water.

SEE PG 114 FOR MORE INFORMATION

Sustainable

LUXURY.

To us, it means more than an exquisite indulgence. It's finding innovative ways to elegantly combine superior design and function—and recognizing the value of one of our planet's most precious resources: water.

That's why we focus on creating products that prove a superlative, luxurious experience can also be environmentally conscious.





Brizo®, as part of Delta Faucet Company, was named one of the 2015 WaterSense® Sustained Excellence Award winners for products that meet or exceed the water efficiency requirements set forth by the Environmental Protection Agency (EPA). Our commitment to sustainability impacts everything we do—from our WaterSense® labeled faucets and showerheads offered throughout all of our bath collections, to our revolutionary H₂Okinetic® Technology that creates the feeling of a high-flow spray while using only a fraction of the water.

That's why we are a proud three-time WaterSense Partner of the Year. And why we were named one of the 2015 WaterSense Sustained Excellence Award winners. We take our commitment to helping make the world a better place seriously, which is why we are quick to embrace new state-specific water efficiency requirements, including the new, more stringent California Title 20 water-efficiency standards that are comparable to or lower than the applicable WaterSense program standards.

To address growing water-conservation concerns across the U.S., water saving products for the kitchen, bath and shower are available to everyone looking to be more water-conscious.





collaboration of unique perspectives always creates surprising results. In partnership with Bon Appetit magazine, we brought together thought leaders in the kitchen world for a discussion at Condé Nast headquarters in New York. The panel consisted of Alison Cayne, sustainable food advocate and founder of Haven's Kitchen; Athena Calderone, designer and founder at the well-known lifestyle blog EyeSwoon; and Jordan Bahler, Brizo Lead Industrial Designer. Together, they talked about current trends in the kitchen space—and what the future holds.

Q: What does the kitchen represent for you?

Athena: I would say that it always represented family and love and togetherness.

Jordan: I totally agree... as Athena was saying, you prepare food for your loved ones there. And I think that's really your opportunity to express your feelings for your friends and your family with the act of serving.

Alison: It's actually an altar in many cultures around the world. The kitchen is considered the temple of the home. If the house is a body, the kitchen is the heart.

Q: How do you approach designing for the kitchen? **Athena:** I think that you are always wanting a little bit of contrast and juxtaposition... that's what creates a little bit of intrigue and curiosity, something that's not just the strait and narrow.

Q: What about your kitchen has made you a better cook? **Alison:** I would say open shelving has made me a better cook, because I can grab quickly, I know exactly what I have, I know exactly what I'm using and what I'm not using...it's improved my timing and timing is everything.

IF THE HOUSE IS A BODY, THE KITCHEN IS THE HEART.

ALISON CAYNE

FOUNDER OF HAVEN'S KITCHEN

Q: What's happening right now in the kitchen that interests you? **Athena:** I feel like I'm seeing a lot of pine floors in homes and kitchens, and combinations of timeless details and slicker, more modern materials.

Alison: People are realizing more and more the importance of sustainability in their food, which is encouraging.

Jordan: Designing for the kitchen in general is interesting because it's a two-fold assignment; there's the style aspect and the functionality. It's a challenge balancing the two in our designs, which means it's never boring.



LEFT:

The panel, from left: Christine Muhlke, Executive Editor at Bon Appétit magazine; Alison Cayne, sustainable food advocate; Athena Calderone, designer and founder of the blog EyeSwoon; Jordan Bahler, Brizo Lead Industrial Designer





















FORGED. REFINED. REMARKABLE.

An industrial evolution.

The artisan tradition has never been more alluring. Tracing its visual inspiration to factories of the early 20th century, the Artesso Kitchen Collection by Brizo® is a warmer, more refined take on the industrial aesthetic. An array of innovations, including MagneDock® Technology, optional SmartTouch® Technology, and the Articulating Kitchen Faucet, make the Artesso collection's functionality every bit the equal of its form.









A. SINGLE-HANDLE ARTICULATING WITH SMARTTOUCH® TECHNOLOGY 64225LF-SS Max Height: 20 18/16" Max Reach: 10 1/2" Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology

B. TWO-HANDLE BRIDGE WITH SIDE SPRAYER 62525LF-SS Height: 13 21/34" Reach: 8 19/32" Max Flow: 1.8 gpm @ 60 psi

- C. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64025LF-PN Height: 16 1/8" Reach: 8 3/4" Max Flow: 1.8 gpm @ 60 psi
- D. SINGLE-HANDLE PULL-DOWN 63025LF-SS Height: 16 1/8" Reach: 8 3/4" Max Flow: 1.8 gpm @ 60 psi
- E. SINGLE-HANDLE BAR 61025LF-SS Height: 13 9/64" Reach: 6 1/32 Max Flow: 1.8 gpm @ 60 psi
- F. SOAP/LOTION DISPENSER RP75675SS



































INSPIRED. STATELY. ILLUMINATING.

A beacon for the kitchen.

Drawing inspiration from the beauty of lighthouses, the Baliza Kitchen Collection by Brizo® effortlessly combines the timeless and the modern. Wrapped around its classical form is cutting-edge innovation, including a two-button, four-function pull-out wand that remains securely locked with MagneDock® Technology. Baliza is the first Brizo pull-out or pull-down kitchen faucet to allow water volume to be controlled from the wand.





A. SINGLE-HANDLE PULL-OUT 63005LF-RB Max Height: 11¹⁷/₃₂" Reach: 9¹⁷/₃₂" Max Flow: 1.8 gpm @ 60 psi

B. BUD VASE* RP50277RB

C. SOAP/LOTION DISPENSER

D. TOWEL HOOK RP50279RB

























SINGULAR. FLOWING. SEDUCTIVE.

A true work of art, the Belo Kitchen Collection by Brizo® features a design as much sculpture as faucet. Its elegant, sweeping form is paired with a two-button, four-function pull-down wand that attaches with MagneDock® Technology.

Instant attraction.





- A. SINGLE-HANDLE PULL-DOWN 63052LF-PC Height: 15" Reach: 91/2" Max Flow: 1.8 gpm @ 60 psi
- B. SINGLE-HANDLE PULL-DOWN PREP 63952LF-PC
 Height: 131/2" Reach: 61/2" Max Flow: 1.8 gpm @ 60 psi
- C.BUD VASE RP49587PC
- D. SOAP/LOTION DISPENSER RP49589PC



















SLEEK. STYLISH. SCANDINAVIAN.

A northern accent.

Inspired by contemporary Scandinavian furniture, the Solna Kitchen Collection by Brizo® features crisp lines and a beautifully simple form delivering a sleek, sophisticated look to any culinary space. Both the kitchen and the prep pull-down models feature a completely "hidden" pull-down spray wand held in place with MagneDock® Technology and optional SmartTouch® Technology activates water flow with a touch anywhere on the faucet spout or handle. The Articulating Kitchen Faucet provides exceptional range of movement and greater versatility for common kitchen tasks.



D









- A. SINGLE-HANDLE ARTICULATING WITH SMARTTOUCH® TECHNOLOGY* 64221LF-BL Max Height: 20 9/16" Max Reach: 10 1/2" Max Flow: 1.8 gpm @ 60 psi
 - Available without SmartTouch® Technology
- B. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64020LF-BL Height: 163/32" Reach: 93/32'
 - Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology
- C. SINGLE-HANDLE PULL-DOWN PREP 63920LF-BL Height: 127/16" Reach: 71/16 Max Flow: 1.8 gpm @ 60 psi Available with SmartTouch® Technology
- D. SOAP/LOTION DISPENSER* RP79275BL
- E. SINGLE-HANDLE PULL-OUT* 63220LF-BL Height: 1111/16" Reach: 825/32" Max Flow: 1.8 gpm @ 60 psi
- F. HIDDEN PULL-DOWN WAND WITH MAGNEDOCK® TECHNOLOGY (Single-Handle Pull-down and Prep models only)























GIFTED. GRACEFUL. MAGNETIC.

Naturally beautiful.

The Talo Kitchen Collection by Brizo® features a distinctive, nature-inspired silhouette. This graceful form is married to a wealth of advanced functionality, including a two-button, four-function spray wand, and MagneDock® Technology magnetic docking system. Available SmartTouch® Technology activates water flow with a touch anywhere on the faucet spout or handle.











A. SINGLE-HANDLE PULL-DOWN 63003LF-PC

Height: 1529/32" Reach: 87/16 Max Flow: 1.8 gpm @ 60 psi

Available with SmartTouch® Technology

B. SINGLE-HANDLE PULL-DOWN PREP WITH SMARTTOUCH® TECHNOLOGY 64903LF-PC Height: 1529/32" Reach: 87/16

Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology

- C. BUD VASE* RP50277
- D. SOAP/LOTION DISPENSER RP50274
- E. TOWEL HOOK RP50279













ELEGANT. MODERN. ENDURING.

Bridging past and present.

The Tresa Kitchen Collection by Brizo® reunites us with the past by taking design elements from the earliest of European fountains. Its traditional yet timeless styling, enhanced by a simple bend in the neck, makes it a welcome presence in almost any kitchen.















A. SINGLE-HANDLE 61036LF-PN

Height: $13^3/\text{i}\,\text{s}''$ Reach: 9'' Max Flow: 1.8 gpm @ 60 psi Available with Side Sprayer

B. TWO-HANDLE BRIDGE WITH SIDE SPRAYER

62536LF-PN; Height: $10^{21}/32^{"}$ Reach: $9^{27}/32$ Max Flow: 1.8 gpm @ 60 psi Available without Side Sprayer

C. TWO-HANDLE 62036LF-PN

Height: $13^3/\mbox{s}''$ Reach: 9'' Max Flow: 1.8 gpm @ 60 psi Available with Side Sprayer

D. TWO-HANDLE PREP 62936LF-PN

Height: 111/2" Reach: 63/8" Max Flow: 1.8 gpm @ 60 psi

E. TWO-HANDLE BRIDGE PREP 62636LF-PN

Height: 11¹⁵/16" Reach: 6³/8" Max Flow: 1.8 gpm @ 60 psi

F. BUD VASE RP50277PN

G. SOAP/LOTION DISPENSER RP61024PN











STRONG. CALM. SOPHISTICATED.

A welcome change.

The Venuto Kitchen Collection by Brizo® was designed under the philosophy that a faucet should be both beautiful and functional. The strong lines and geometric appearance become a focal point in any kitchen. And with available SmartTouch® Technology, it brings a new level of safety and convenience to the kitchen, allowing you to control water flow with just a simple touch.







- A. SINGLE-HANDLE PULL-DOWN 63070LF-SS Height: 151/2" Reach: 91/2" Max Flow: 1.8 gpm @ 60 psi
- B. SINGLE-HANDLE PULL-DOWN PREP WITH SMARTTOUCH® TECHNOLOGY* 64970LF-SS Height: 141/2" Reach: 61/2" Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology
- C. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY* 64070LF-SS Height: 151/2" Reach: 91/2" Max Flow: 1.8 gpm @ 60 psi
- D. BUD VASE* RP42879SS
- E. SOAP/LOTION DISPENSER RP42878SS





























SOARING. SWEEPING. SCINTILLATING.

Luxury takes flight.

С

Taking its design inspiration from a swan, the Vuelo Kitchen Collection by Brizo® forms a graceful, majestic silhouette—one that is only enhanced with the split finish options. With a wide variety of configurations, including the only Brizo high-rise pull-out design, as well as optional SmartTouch® Technology, Vuelo is a true departure from the ordinary.



D





A. SINGLE-HANDLE PULL-DOWN WITH SMARTTOUCH® TECHNOLOGY 64355LF-PCMW

Height: 16³/₄" Reach: 10¹/₄" Max Flow: 1.8 gpm @ 60 psi Available without SmartTouch® Technology

- B. SINGLE-HANDLE PULL-OUT 63255LF-PCMW
 Height: 163/4" Reach: 10" Max Flow: 1.8 gpm @ 60 psi
 Available with SmartTouch® Technology
- C. SINGLE-HANDLE PULL-DOWN PREP 63955LF-SSCO Height: 15" Reach: 7 1/8" Max Flow: 1.8 gpm @ 60 psi Available with SmartTouch® Technology
- D. BUD VASE RP64474SSCO
- E. SOAP/LOTION DISPENSER RP64473SSCO











EASY. EFFICIENT. EXQUISITE.

The perfect complement.

For those seeking even more versatility and convenience, pot fillers and beverage faucets are superb additions to your culinary space. Traditional and Euro Pot Filler faucets by Brizo® make it easy to fill large cooking vessels quickly—and without the walk from sink to stove—while Traditional and Euro Beverage faucets are the ideal partners for your water filtration system, R/O system, or as a cold water tap. Pot fillers and beverage faucets are available in traditional and contemporary styles, ensuring a look that complements any décor or Brizo collection.











- A. EURO DECK MOUNT POT FILLER* 62720LF-PC Height: 17" Reach: 201/2" Max Flow: 4.0 gpm @ 60 psi
- B. TRADITIONAL DECK MOUNT POT FILLER 62710LF-PC Height: 17" Reach: 201/2" Max Flow: 4.0 gpm @ 60 psi
- C. EURO WALL MOUNT POT FILLER* 62820LF-PC Reach: 231/4" Max Flow: 4.0 gpm @ 60 psi
- D. TRADITIONAL WALL MOUNT POT FILLER 62810LF-PC Reach: 231/4" Max Flow: 4.0 gpm @ 60 psi
- E. EURO BEVERAGE FAUCET* 61320LF-PC Height: 91/3" Reach: 5" Max Flow: 1.5 gpm @ 60 psi
- F. TRADITIONAL BEVERAGE FAUCET 61310LF-PC Height: 97/64" Reach: 5" Max Flow: 1.5 gpm @ 60 psi

AVAILABLE FINISHES





BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® STAINLESS





















INSPIRED. STATELY. ILLUMINATING.

A beacon for the bath.

Drawing inspiration from the timeless beauty of lighthouses, the Baliza Bath Collection by Brizo® features a unique architecture and simple, elegant lines. The result is a stunningly fresh perspective on a warm, traditional feel.






















A. WIDESPREAD LAVATORY WITH CROSS HANDLES

65305LF-PNLHP; HX505-PN Height: $6^1/5''$ Reach: $5^5/6''$ Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles

B. MINI-WIDESPREAD LAVATORY WITH LEVER HANDLES

65505LF-PNLHP; HL505-PN Height: 61/4'' Reach: 51/16'' Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles

C. SINGLE-HANDLE LAVATORY 65005LF-PN

Max Height: $7^{13}/22''$ Reach: $5^{5}/16''$ Max Flow: 1.5 gpm @ 60 psi Available with optional escutcheon

D. SINGLE-HANDLE VESSEL LAVATORY 65105LF-PN Max Height: 123/4" Reach: 55/16" Max Flow: 1.5 gpm @ 60 psi

Max Height: 123/4" Reach: 55/16" Max Flow: 1.5 gpm @ 60 psi

E. BIDET WITH LEVER HANDLES 68405-PNLHP; HL505-PN Available with Cross Handles

- F. TOWEL RING 69546-PN
- G. 18" TOWEL BAR 69518-PN Available as 24"
- H. 24" DOUBLE TOWEL BAR 69525-PN
- I. DOUBLE ROBE HOOK 69535-PN
- J. TISSUE HOLDER 69550-PN
- K. FRONT MOUNT FLUSH LEVER 69561-PN Available as Side Mount













BALIZA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60405-PN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 11" CEILING MOUNT RAINCAN SHOWERHEAD‡

83310-PN 11" showerhead; RP48985PN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TRADITIONAL HYDRATI® 2|1 SHOWER WITH ${ m H_2OKINETIC}$ ® TECHNOLOGY 86200-PN

RP62929PN 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87305-PN

71/8" showerhead; RP62929PN 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 85710-PN

Bar: 231/4" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. MULTI-FUNCTION WALL MOUNT HANDSHOWER

85810-PN; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-PN; T84613-PN Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

H. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi

(Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PN; T84613-PN MASSAGING SPRAY HEAD SH84101-PN; T84613-PN INVIGORATING SPRAY HEAD SH84102-PN; T84613-PN

I. TWO-HANDLE WALL MOUNT FREESTANDING TUB FILLER WITH CROSS HANDLES

T70305-PN; T70210-PNLHP; RP73764PN

Height: 131/8" Reach: 81/4" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles

Available as Floor Mount and Deck Mount

$\ensuremath{\mathsf{J}}.$ ROMAN TUB WITH CROSS HANDLES

AND HANDSHOWER T67405-PNLHP; HX605-PN

Height: $7^{\,25/64''}$ Reach: $8^{\,15/16''}$ Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles

Available without Handshower

K. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-PN; Diameter: $1^1/4''$ Width from Wall: $2^3/4''$ Available as 12''

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 118.




























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87305-PC; 7" Shower Arm and Flange RP62929PC

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH $\rm H_2OKINETIC^*TECHNOLOGY 85710\mbox{-}PC$

6-FUNCTION DIVERTER TRIM T60905-PC

TEMPASSURE® THERMOSTATIC VALVE TRIM T60005-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PC

Hydrachoice™ Max Round Trim T84613-PC

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

11" CEILING MOUNT RAINCAN SHOWERHEAD 83310-PC

6" Ceiling Mount Shower Arm and Flange RP48985PC

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87305-PC; 7* Shower Arm and Flange RP62929PC

WALL MOUNT HANDSHOWER 85810-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-PC

Hydrachoice™ Max Round Trim T84613-PC

SENSORI® VOLUME CONTROL TRIM T66605-PC

SENSORI® THERMOSTATIC VALVE TRIM T66T005-PC

View all Sensori Custom Shower components starting on page 124.



OPULENT. POISED. POETIC.

Artful indulgence.

The Charlotte Bath Collection by Brizo® infuses clean lines with classical elegance, deftly bridging the gap between traditional and modern design. The first collection available with our Cocoa Bronze finish, the single-hole electronic lavatory features SmartTouchPlus™ Technology (allowing hands-free and touch activation), as well as TempIQ® Temperature Control Technology. The Charlotte collection's bold symmetry and sumptuous details add an instant sophistication to any bath.



























A. WIDESPREAD LAVATORY WITH HANDLES

65385LF-PNCOLHP; HL5385-PNCO Height: 73/8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi

B. WALL MOUNT LAVATORY WITH HANDLES

65885LF-PNCOLHP; HL5885-PNCO Reach: 81/4" Max Flow: 1.5 gpm @ 60 psi

C. WIDESPREAD VESSEL LAVATORY WITH HANDLES

65485LF-PNCOLHP; HL5485-PNCO Height: 123/4" Reach: 5" Max Flow: 1.5 gpm @ 60 psi

D. SINGLE-HOLE ELECTRONIC LAVATORY 65685LF-PNCO Height: 73/8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi Available with optional escutcheon

E. SINGLE-HANDLE LAVATORY 65085LF-PNCO Max Height: 9²⁵/₃₂" Reach: 5¹/₁₆" Max Flow: 1.5 gpm @ 60 psi Available with SmartTouchPlus™ Available with optional escutcheon

- F. WALL MIRROR 698085-PNCO Size: 20" x 26"
- G.18" TOWEL BAR 691885-PNCO Available as 24°
- H. 24" DOUBLE TOWEL BAR 692585-PNCO
- I. SINGLE LIGHT SCONCE 697085-PNCO Height: 117/16
- J. TOWEL RING 694685-PNCO
- K. DOUBLE ROBE HOOK 693585-PNCO
- L. BIDET WITH HANDLES 68485-PNCOLHP: HL5385-PNCO
- M. TISSUE HOLDER 695085-PNCO
- N. FRONT MOUNT FLUSH LEVER 696085-PNCO Available as Side Mount











CHARLOTTE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60485-PNCO; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81385-PNCO

81/4" showerhead; RP48985PN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86201-PNCO RP71649PN 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87385-PNCO

 $5^{13} \mbox{/} \mbox{16}''$ showerhead; RP70909PN 8" arm

E. SLIDE BAR HANDSHOWER 85785-PNCO

Bar: 231/4" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. WALL MOUNT HANDSHOWER 85885-PNCO; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD*†

AND ROUND TRIM SH84103-PN; T84613-PN Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

H. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY*† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right and top to bottom) SOOTHING SPRAY HEAD SH84100-PN; T84613-PN MASSAGING SPRAY HEAD SH84101-PN; T84613-PN INVIGORATING SPRAY HEAD SH84102-PN; T84613-PN

I. 24" ADA COMPLIANT TRADITIONAL GRAB BAR* 69310-PN; Diameter: 11/4" Width from Wall: 28/4"

Available as 12"

J. TWO-HANDLE FLOOR MOUNT FREESTANDING TUB FILLER T70385-PNC0; T70210-PNLHP; RP73766PN Height: 4213/16" Reach: 81/4" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available as Wall Mount and Deck Mount

K. ROMAN TUB WITH HANDLES AND HANDSHOWER

T67485-PNCOLHP; HL685-PNCO

Height: 91/8" Reach: 9" Max Flow: 18.5 gpm @ 80 psi (Rough sold separately)

Available without Handshower

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 118.









С



















^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87385-PNCO; 8" Shower Arm and Flange RP70909PN

WALL MOUNT HANDSHOWER

85885-PNCO

6-FUNCTION DIVERTER TRIM T60985-PN

TEMPASSURE® THERMOSTATIC VALVE TRIM

T60085-PN

HYDRACHOICE™ MAX BODY SPRAY
SYSTEM WITH SOOTHING SPRAY HEAD
SHR4100-PN

Hydrachoice™ Max Round Trim T84613-PN

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 81385-PNCO 6" Ceiling Mount Shower Arm and Flange RP48985PN

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY

87385-PNCO; 8" Shower Arm and Flange RP70909PN

TOUCH-CLEAN® BODY SPRAYS* 84110-PN

WALL MOUNT HANDSHOWER 85885-PNCO

SENSORI® VOLUME CONTROL TRIM T66685-PNCO

SENSORI® THERMOSTATIC VALVE TRIM T66T085-PNC0

View all Sensori Custom Shower components starting on page 124.



TEXTURED. VERSATILE. VIBRANT.

Art meets craft.

The Litze Bath Collection by Brizo® melds innovative engineering and artistry to strike a balance that is equally at home in modern classic environments and urban industrial spaces. With thoughtful details such as three distinctive handle options and a beautifully simple bent tube spout, the Litze collection offers a wide range of configurations inspired by the revival of the arts and crafts movement.





























- A. SINGLE-HANDLE LAVATORY† 65035LF-GL Height: 7½" Reach: 5½" Max Flow: 1.5 gpm @ 60 psi
- B. WIDESPREAD LAVATORY WITH HIGH SPOUT AND INDUSTRIAL LEVER HANDLES† 65335LF-GLLHP; HL5334-GL Height: 6 5/16" Reach: 5 9/16" Max Flow: 1.5 gpm @ 60 psi Available with Lever and T-Lever Handles
- C. WIDESPREAD LAVATORY WITH LOW SPOUT AND LEVER HANDLES† 65337LF-GLLHP; HL5332-GL Height: 415/16" Reach: 59/16" Max Flow: 1.5 gpm @ 60 psi Available with T-Lever and Industrial Lever Handles
- D. WALL MOUNT LAVATORY[†] T65735LF-GL Spout Length: 8³/₄" Max Flow: 1.5 gpm @ 60 psi (Rough sold seperately)
- E. DOUBLE ROBE HOOK 693535-GL
- F. 18" TOWEL BAR 691835-GL Available as 24" and 30"
- G. BIDET 68135-GL Max Height: 71/8" Reach: 47/8"
- H. ROTATING DOUBLE ROBE HOOK WITH KNURLING 693537-GL
- I. 8" MINI TOWEL BAR WITH KNURLING 694735-GL
- J. TISSUE HOLDER 695035-GL
- K. UNIVERSAL TANK LEVER 696335-GL
- L. DRAWER KNOB 699235-GL
- M. DRAWER PULL WITH KNURLING 699137-GL
- N. DRAWER PULL 699135-GL

AVAILABLE FINISHES





BRILLIANCE® POLISHED NICKEL (PN)



BRILLIANCE® LUXE NICKEL® (NK)



BRILLIANCE® LUXE GOLD™ (GL)



BRILLIANCE® LUXE NICKEL®/ POLISHED CHROME (NKPC) *



POLISHED CHROME/ TEAK (PCTK)*



- * Select finishes not available on all models and accessories.
- † Available with 1.0 gpm max flow rate.

LITZE™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC SHOWER ONLY
WITH LEVER HANDLES T60235-GLLHP; HL6032-GL
Showerhead Max Flow: 2.0 gpm @ 80 psi
(Rough sold separately)

Available with T-Lever and Industrial Lever Handles Available as Valve Only

B. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81335-GL 4", 6", 8" and 10" shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

C.RAINCAN SHOWERHEAD‡ 81375-GL 8" showerhead; RP48985GL 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. 4-FUNCTION RAINCAN SHOWERHEAD
WITH H₂OKINETIC® TECHNOLOGY 87435-GL
8" showerhead; RP81434GL Jointed shower arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P035-GL (Rough sold separately)

F. TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 3-FUNCTION DIVERTER TRIM AND LEVER HANDLES T75535-GLLHP; HL7532-GL (Rough sold separately)

Available with T-Lever and Industrial Lever Handles Available as Integrated 6-Function Diverter Trim

G. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH WHEEL AND H₂OKINETIC® TECHNOLOGY 88735-GL Bar: 221/2" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

H. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC* TECHNOLOGY 85735-GL
Bar: 22¹/₂" Hose: 60" Max Flow: 2.0 gpm @ 80 psi
7.6 L/min @ 550 kPa

I. MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88835-GL Bar: 22½" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

J. EURO ROUND HYDRATI® 2|1 SHOWER WITH
H₂OKINETIC® TECHNOLOGY 86275-GL
RP62929PC 7" arm; Hose: 60"
Max Flow: 2.5 gpm @ 80 psi, 7.6 L/min @ 550 kPa

K.SINGLE-HANDLE FREESTANDING TUB FILLER AND LEVER HANDLE T70135-GL; HL7032-GL Height: 393/4" Reach: 91/4" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

Available with T-Lever and Industrial Lever Handles

L. HYDRACHOICE™ SPRAY HEADS WITH
H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: $3^1/2''$ Width: $3^1/2''$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-GL; T84613-GL MASSAGING SPRAY HEAD SH84101-GL; T84613-GL INVIGORATING SPRAY HEAD SH84102-GL; T84613-GL

M.HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†
AND ROUND TRIM SH84103-GL; T84613-GL
Height: 3½″ Width: 3½″ Max Flow: 1.5 gpm @ 80 psi
(Rough sold separately)

N.ROMAN TUB WITH LEVER HANDLES
AND HANDSHOWER T67435-GLLHP; HL632-GL
Height: 93/8" Reach: 911/16" Max Flow: 18.5 gpm @ 60 psi
(Rough sold separately)

Available with T-Lever and Industrial Lever Handles
Available without Handshower

































Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87435-GL; Jointed Shower Arm RP81434GL

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH WHEEL AND H₂OKINETIC® TECHNOLOGY 88735-GI

TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM AND INDUSTRIAL LEVER HANDLES T75635-GLLHP; HL7532-GL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-GI

Hydrachoice™ Max Round Trim T84613-GL

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT PENDANT
RAINCAN SHOWERHEAD WITH
H₂OKINETIC® TECHNOLOGY 81335-PN

MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88835-PN

4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87435-PN; 7" shower arm RP74751PN

SENSORI® THERMOSTATIC VALVE TRIM WITH T-LEVER HANDLE T66T035; HL6633-PN

SENSORI® VOLUME CONTROL TRIM WITH T-LEVER HANDLE T66633-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PN

Hydrachoice™ Max Round Trim T84613-PN

View all Sensori Custom Shower components starting on page 124.



CLEAN. CONTEMPORARY. CALCULATED.

A brilliant deception.

Inspired by Scandinavian design, the Loki Bath Collection centers around an ingenious faucet* that pairs a graceful arc with a horizontal platform that resulted in a RedDot award for product design. The unique sliding handle system invites the user to engage with it to manipulate water volume and temperature.

*Designed by Torben Jorgensen/Gneiss Group & Mikal Harrsen

A. TWO-HANDLE SINGLE-HOLE LAVATORY 65172LF-PC









E. TOWEL RING 694680-PC

F. TISSUE HOLDER 695080-PC

D. ROBE HOOKS-PAIR 693580-PC

G. FRONT MOUNT FLUSH LEVER 696080-PC Available as Side Mount

















LOKI® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60480-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. RECTANGULAR RAINCAN SHOWERHEAD‡

81380-PC 8^5 /8" x 5^3 /4" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. SQUARE CEILING MOUNT RAINCAN SHOWERHEAD

83341-PC 8^5 /s" x 5^3 /4" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. SQUARE RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87380-PC 53%" showerhead; RP74448PC 7" arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P080-PC

(Rough sold separately)

F. WALL MOUNT HANDSHOWER 85880-PC

Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. SLIDE BAR HANDSHOWER 85780-PC

Bar: 25" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

H. EURO SLIDE BAR HANDSHOWER 85521-PC

Bar: 35" Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

I. EURO SQUARE HYDRATI® 2|1 SHOWER WITH ${ m H_2OKINETIC}$ ® TECHNOLOGY 86280-PC

H₂OKINETIC® TECHNOLOGY 86280-PC RP74448PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. HYDRACHOICE™ SPRAY HEADS WITH H2OKINETIC® TECHNOLOGY† AND SQUARE TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-PC; T84913-PC
MASSAGING SPRAY HEAD SH84101-PC; T84913-PC
INVIGORATING SPRAY HEAD SH84102-PC; T84913-PC

K. HYDRACHOICE™TOUCH-CLEAN® SPRAY HEAD†

AND SQUARE TRIM SH84103-PC; T84913-PC Height: $3^1/2^{\circ}$ Width: $3^1/2^{\circ}$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

L. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: $1^1/4''$ Width from Wall: $2^3/4''$ Available as 12''





D

























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-PC 16" Shower Arm and Flange RP71650PC

SLIDE BAR HANDSHOWER 85780-PC

6-FUNCTION DIVERTER TRIM T60980-PC; Diverter Rough R60700

TEMPASSURE® THERMOSTATIC VALVE TRIM T60080-PC

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-BN;

6" Ceiling Mount Shower Arm and Flange RP70764BN

SQUARE RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87380-BN; 7" Shower Arm and Flange RP74448BN

TOUCH-CLEAN® BODY SPRAYS 84110-BN

Available as square Touch-Clean Body Sprays

SENSORI® VOLUME CONTROL TRIM

SENSORI® THERMOSTATIC VALVE TRIM T66T080-BN

View all Sensori Custom Shower components starting on page 124.





UNCLUTTERED. UNCOMMON. UNPARALLELED.

Addition meets subtraction.

Minimalist? Maximalist? Yes. The Odin Bath Collection by Brizo® pairs a clean, Scandinavian design with a wealth of leading-edge technologies—including the next generation of Brizo's revolutionary SmartTouch® Technology. SmartTouchPlus™ adds proximity sensing to our existing touch technology, allowing for both handsfree and touch-sensitive operation.





















- A. SINGLE-HANDLE LAVATORY 65075LF-PC Max Height: 813/16" Reach: 47/16" Max Flow: 1.5 gpm @ 60 psi
- B. SINGLE-HOLE ELECTRONIC LAVATORY 65675LF-PC Height: 91/8" Reach: 43/4" Max Flow: 1.5 gpm @ 60 psi
- C. SINGLE-HANDLE LAVATORY WITH SMARTTOUCHPLUS™ TECHNOLOGY 65975LF-PCBL Max Height: 813/16" Reach: 47/16" Max Flow: 1.5 gpm @ 60 psi
- D. WIDESPREAD LAVATORY 65375LF-PC Height: 9" Reach: 43/4" Max Flow: 1.5 gpm @ 60 psi
- E. WALL MOUNT LAVATORY 65875LF-PC Reach: 81/2" Max Flow: 1.5 gpm @ 60 psi
- F. TOWEL RING 694675-PC
- G. LIGHT SCONCE 697075-PC Height: 113/4'
- H. SIDE MOUNT FLUSH LEVER 696275-PC Available as Front Mount
- I. DRAWER KNOB 699275-PC
- J. BIDET 68475-PC
- K. 24" TOWEL BAR 692475-PC Available as 18"
- L. TISSUE HOLDER WITH REMOVABLE COVER
- M. ROBE HOOK 693575-PC
- N. DRAWER PULL 699175-PC

AVAILABLE FINISHES





BRILLIANCE® BRUSHED NICKEL (BN)





POLISHED CHROME/MATTE BLACK (PCBL) ngle-Handle Lavatory only





ODIN™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60475-PC; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 8" CEILING MOUNT RAINCAN SHOWERHEAD‡

81375-PC 8" showerhead; RP48985PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81335-PC

4", 6", 8" and 10" shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

D. PRESSURE BALANCE VALVE TRIM T60P075-PC

(Rough sold separately)

Available as Tub/Shower and Shower Only*

E. RAINCAN SHOWERHEAD WITH $\mathrm{H}_2\mathrm{OKINETIC}^{\circledast}$

TECHNOLOGY 87375-PC

 $5\,^3\mbox{/e"}$ showerhead; RP71648PC 16" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88775-PC

Bar: 22" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88875-PC; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. MULTI-FUNCTION EURO SLIDE BAR HANDSHOWER

85521-PC; Bar: 35" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. EURO ROUND HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86275-PC RP74751PC 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. ROMAN TUB WITH HANDSHOWER T67475-PC

Height: 111½" Reach: 9" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available without Handshower

K. SINGLE-HANDLE FREESTANDING TUB FILLER $\,$ T70175-PC $\,$

Height: 401/2" Reach: 87/8" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

L. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD† AND ROUND TRIM SH84103-PC; T84613-PC

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

M. HYDRACHOICE™ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: $3^{1}/2^{\prime\prime}$ Width: $3^{1}/2^{\prime\prime}$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84613-PC
MASSAGING SPRAY HEAD SH84101-PC; T84613-PC
INVIGORATING SPRAY HEAD SH84102-PC; T84613-PC


N. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 11/4" Width from Wall: 23/4" Available as 12"

































^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87375-PC 16" Shower Arm and Flange RP71648PC

SLIDE BAR HANDSHOWER WITH H₂OKINETIC*TECHNOLOGY 88775-PC

TOUCH-CLEAN® BODY SPRAYS 84110-PC

6-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-PC

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

8" CEILING MOUNT RAINCAN SHOWERHEAD 81375-PC

10" Ceiling Mount Shower Arm and Flange RP48986PC

RAINCAN SHOWERHEAD WITH H₂OKINETIC*TECHNOLOGY 87375-PC 16" Shower Arm and Flange RP71648PC

WALL MOUNT HANDSHOWER WITH H,OKINETIC® TECHNOLOGY 88875-PC

SENSORI® THERMOSTATIC VALVE TRIM

SENSORI® VOLUME CONTROL TRIM

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD SH84100-PC

Hydrachoice™ Max Round Trim T84613-PC



FASHION-FORWARD MEETS FORWARD THINKING.

A study in contrast.

The exclusive Jason Wu for Brizo™ Bath Collection features the aesthetic sense of a renowned fashion designer, coupled with the design and innovation that could only come from Brizo®—including the next generation of Brizo's revolutionary SmartTouch® Technology. SmartTouchPlus™ adds proximity sensing to our existing touch technology, allowing for both hands-free and touch-sensitive operation.



- A. SINGLE-HANDLE LAVATORY† 65075LF-BL

 Max Height: 81³/16″ Reach: 47/16″

 Max Flow: 1.5 gpm @ 60 psi

 Available with SmartTouch Plus™ Technology
- B. SINGLE-HOLE ELECTRONIC LAVATORY[†] 65675LF-BL Height: 9¹/₈" Reach: 4³/₄" Max Flow: 1.5 gpm @ 60 psi
- C. WALL MOUNT LAVATORY† 65875LF-BL Reach: 81/2" Max Flow: 1.5 gpm @ 60 psi
- D. TWO-HANDLE WIDESPREAD LAVATORY† 65375LF-BL Height: 9" Reach: 43/4" Max Flow: 1.5 gpm @ 60 psi
- E. BIDET 68475-BL
- F. TOWEL RING 694660-PC
- G. FREESTANDING SOAP PUMP 695360-PC
- H. DRAWER KNOB 699260-BL
- I. TISSUE HOLDER 695060-PC
- J. DRAWER PULL 699160-PC
- K. WASTEBASKET 699060-BL
- L. GLASS SHELF 691060-BL
- M.18" TOWEL BAR 691860-PC







JASON WU FOR BRIZO™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60475-BL; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 81335-BL

4", 6", 8" and 10" shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

C. 8" CEILING MOUNT RAINCAN SHOWERHEAD\$

81375-BL 8" showerhead; RP48985BL 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87375-BL

 $5\,^3\mbox{/s"}$ showerhead; RP71648BL 16" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P075-BL

(Rough sold separately)

F. SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88775-BL

Bar: 22" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88875-BL; Hose: 60°

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. EURO ROUND HYDRATI® 2|1 SHOWER WITH $H_2OKINETIC$ ® TECHNOLOGY 86275-BL

RP74751BL 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

I. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-BL; T84613-BL INVIGORATING SPRAY HEAD SH84102-BL; T84613-BL MASSAGING SPRAY HEAD SH84101-BL; T84613-BL

J. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-BL; T84613-BL Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

K. ROMAN TUB WITH HANDSHOWER T67475-BL Height: 111½" Reach: 9" Max Flow: 18.5 gpm @ 60 psi

Height: 111½" Reach: 9" Max Flow: 18.5 gpm @ 60 ps (Rough sold separately)

Available without Handshower

L. SINGLE-HANDLE FREESTANDING TUB FILLER

T70175-BL; Height: 401½" Reach: 87/8" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

M. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR

69375-BL; Diameter: 11/4" Width from Wall: 23/4"

Available as 12"





М




















Available with 2.0 gpm max flow rate.



SHOWN WITH:

CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81335-BL

RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87375-BL 16" Shower Arm And Flange RP71648BL

SLIDE BAR HANDSHOWER WITH H,OKINETIC® TECHNOLOGY 88775-BL


6-FUNCTION DIVERTER TRIM T60975-BL

TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-BL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-BL

Hydrachoice™ Max Round Trim T84613-BL

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87375-BL 16" Shower Arm with Flange RP71648BL

SLIDE BAR HANDSHOWER WITH H,OKINETIC® TECHNOLOGY 88775-BL

SENSORI® VOLUME CONTROL TRIM T66675-BI

SENSORI® THERMOSTATIC VALVE TRIM T66T075-BL

TOUCH-CLEAN® BODY SPRAY 84110-BL



MINIMAL. HUSHED. HYPNOTIC.

Strong and silent.

The minimalist style of the Quiessence Bath Collection by Brizo® brings retro European design to America. It borrows a design philosophy from the 1950s and applies it to the technology found today. Two simple, perpendicular lines intersect, creating a bold statement that is accented by handle materials including metal, Maple or Wenge wood.



A. SINGLE-HANDLE LAVATORY WITH MAPLE HANDLE ACCENT 65014LF-BN; RP42294BN Max Height: 9" Reach: 53/16" Max Flow: 1.5 gpm @ 60 psi

Available with Metal or Wenge Handle Accent

B. TOWEL RING 694675-BN

C. LIGHT SCONCE 697075-BN Height: 113/4

D. 18" TOWEL BAR 691875-BN Available as 24"

E. TISSUE HOLDER WITH REMOVEABLE COVER 695075-BN

F. DRAWER PULL 699175-BN

G. DRAWER KNOB 699275-BN

H. FRONT MOUNT FLUSH LEVER 696075-BN Available as Side Mount

I. ROBE HOOK 693575-BN









QUIESSENCE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60475-BN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 8" CEILING MOUNT RAINCAN SHOWERHEAD ‡

81375-BN 8" showerhead; RP48985BN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. CEILING MOUNT PENDANT RAINCAN SHOWERHEAD WITH $H_2OKINETIC^*$ TECHNOLOGY 81335-BN

4%~8% and 10% shower arms included Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

D. PRESSURE BALANCE VALVE TRIM T60P075-BN

(Rough sold separately)

Available as Tub/Shower and Shower Only

E. RAINCAN SHOWERHEAD WITH H₂OKINETIC®

TECHNOLOGY 87375-BN

53/8" showerhead; RP71648BN 16" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. SLIDE BAR HANDSHOWER WITH $\mathrm{H_2OKINETIC}^\circledast$

TECHNOLOGY 88775-BN Bar: 22" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88875-BN; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. MULTI-FUNCTION EURO SLIDE BAR HANDSHOWER

85521-BN; Bar: 35" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. EURO ROUND HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86275-BN

RP74751BN 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. ROMAN TUB WITH HANDSHOWER T67214-BN

Height: 7" Reach: $9^3/4$ " Max Flow: 12.28 gpm @ 60 psi

K. SINGLE-HANDLE FREESTANDING TUB FILLER T70175-BN

Height: 401/2" Reach: 87/6" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

L. HYDRACHOICE $^{\text{TM}}$ SPRAY HEADS WITH H2OKINETIC $^{\text{S}}$ TECHNOLOGY $^{\text{T}}$ AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-BN; T84613-BN MASSAGING SPRAY HEAD SH84101-BN; T84613-BN INVIGORATING SPRAY HEAD SH84102-BN; T84613-BN

$\mathsf{M}.\mathsf{HYDRACHOICE}^{\mathsf{TM}}\,\mathsf{TOUCH\text{-}CLEAN}^{\circledast}\,\mathsf{SPRAY}\,\mathsf{HEAD}^{\dagger}$

AND ROUND TRIM SH84103-BN; T84613-BN Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

N. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-NK; Diameter: 11/4" Width From Wall: 23/4" Available as 12"

































^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87375-PC 16" Shower Arm and Flange RP71648PC

SLIDE BAR HANDSHOWER WITH H₂OKINETIC*TECHNOLOGY 88775-PC

TOUCH-CLEAN® BODY SPRAYS 84110-PC

6-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE TRIM T60075-PC

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

8" CEILING MOUNT RAINCAN SHOWERHEAD 81375-PC

10" Ceiling Mount Shower Arm and Flange RP48986PC

RAINCAN SHOWERHEAD WITH H₂OKINETIC*TECHNOLOGY 87375-PC 16" Shower Arm and Flange RP71648PC

WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88875-PC

SENSORI® THERMOSTATIC VALVE TRIM T66T075-PC

SENSORI® VOLUME CONTROL TRIM T66675-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD SH84100-PC

Hydrachoice™ Max Round Trim T84613-PC

















CLASSIC, MODERN, MASTERFUL.

A move ahead.

Combining a contemporary, masculine edge with nods to early-1900s traditionalism, the Rook Bath Collection by Brizo® is an arresting, modern interpretation of a stately aesthetic. A variety of configurations and finishes make it as stunningly versatile as it is simply stunning, while technologies such as SmartTouchPlus™ mean it's uncommonly forward in its thinking. This is traditional, transformed.























A. SINGLE-HANDLE LAVATORY WITH SMARTTOUCHPLUS™ TECHNOLOGY 65960LF-NKBL Max Height: $7\,^1/4''$ Reach: $6\,^3/\!8''$ Max Flow: 1.5 gpm @ 60 psi

Available without SmartTouchPlus™ Technology Available with optional escutcheon

B. WIDESPREAD LAVATORY WITH LEVER HANDLES

65360LF-NKBLLHP: HL5360-NKBL Height: $4^{11}/16''$ Reach: $5^{3}/4''$ Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles Available with optional escutcheon

C. SINGLE-HANDLE CHANNEL VESSEL LAVATORY

65461LF-NKBL; Max Height: 133/4" Reach: 53/8" Max Flow: 1.5 gpm @ 60 psi Available with optional escutcheon

D. WIDESPREAD CHANNEL LAVATORY WITH

CROSS HANDLES 65361LF-NKBLLHP; HX5361-NKBL Height: 411/16" Reach: 53/4" Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles Available with optional Lavatory Handle Inserts

E. SINGLE-HANDLE CHANNEL LAVATORY 65061LF-NKBL Max Height: 7 1/4" Reach: 5 7/16" Max Flow: 1.5 gpm @ 60 psi Available with optional escutcheon

F. UNIVERSAL TANK LEVER* 696361-NK

G. BIDET WITH LEVER HANDLES 68460-NKLHP; HL5360-NKBL

Available with Cross Handles

H. 18" TOWEL BAR 691861-NKBL Available as 24"

I. 8" MINI TOWEL BAR 694761-NKBL

J. DOUBLE ROBE HOOK 693561-NKBL

K. DRAWER PULL 699161-NKBL

L. DRAWER KNOB 699261-NKBL

M. TISSUE HOLDER 695061-NKBL















ROOK™ TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60461-NKBL; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 11" CEILING MOUNT RAINCAN SHOWERHEAD‡

83310-NK 11" showerhead; RP48985NK 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. TEMPASSURE® THERMOSTATIC VALVE WITH INTEGRATED 6-FUNCTION DIVERTER TRIM

T75661-NKBL (Rough sold separately)
Available as Integrated 3-Function Diverter Trim

Ü

D. 4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87461-NKBL

8" showerhead; RP78580NK 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. 9" RAINCAN SHOWERHEAD RP52090-NKBL

9" showerhead; RP78580NK 7" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

F. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY*† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)
SOOTHING SPRAY HEAD SH84100-NK; T84613-NK
MASSAGING SPRAY HEAD SH84101-NK; T84613-NK
INVIGORATING SPRAY HEAD SH84102-NK; T84613-NK

G. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD*† AND ROUND TRIM SH84103-NK; T84613-NK

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

H. MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88761-NKBL

Bar: 26³/4" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88861-NKBL

Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

J. TRADITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86200-NKBL

RP62929NK 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

K. SINGLE-HANDLE FREESTANDING TUB FILLER

T70161-NKBL; Height: 381/4" Reach: 93/4" Max Flow: 13 gpm @ 60 psi (Rough sold separately)

L. ROMAN TUB WITH CROSS HANDLES AND

HANDSHOWER T67461-NKBLLHP; HX661-NKBL Height: 7" Reach: 9 3/4" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles and Optional Lavatory Handle Inserts

Available without Handshower

M. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-NK; Diameter: $1^1/4''$ Width From Wall: $2^3/4''$ Available as 12''

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 118.





D


















K







^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

Available with 2.0 gpm max flow rate.



SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87461-NKBL; 7" Shower Arm and Flange RP78580NK

TEMPASSURE® THERMOSTATIC VALVE TRIM T60061-NKBL

6-FUNCTION DIVERTER TRIM T60961-NKBI

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H2OKINETIC® TECHNOLOGY 88761-NKBL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH TOUCH-CLEAN® SPRAY HEAD* SH84103-NK

HydraChoice[™] Max Round Trim T84613-NK

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

4-FUNCTION RAINCAN SHOWERHEAD WITH H, OKINETIC® TECHNOLOGY 87461-PC; 7" Shower Arm and Flange RP78580PC

11" CELING MOUNT RAINCAN SHOWERHEAD 83310-PC 10" Shower Arm and Flange RP48986PC

MULTI-FUNCTION WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88861-PC

SENSORI® THERMOSTATIC VALVE TRIM - CROSS T66T061-PC

SENSORI® VOLUME CONTROL TRIM - CROSS T66661-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD* SH84101-PC

 $HydraChoice^{\text{TM}} \ Max \ Round \ Trim \ T84613-PC$



APPEALING. ARRESTING. AUSPICIOUS.

A new vision of glamour.

A study in refined glamour, the RSVP Bath Collection by Brizo® combines stately curves and luxurious flourishes. With a full complement of accessories and lighting, including optional finials made with crystals from Swarovski®, RSVP adds new elegance to any bath.















G









A. WIDESPREAD LAVATORY WITH LEVER HANDLES AND OPTIONAL BLUE GLASS FINIAL

65390LF-PCLHP; HL5390-PC; RP48903PC Height: 8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles Available with metal or optional Swarovski Crystal Finial

B. WALL MOUNT LAVATORY WITH CROSS HANDLES 65890LF-PCLHP; HX5890-PC Reach: 85/s" Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles

C. WIDESPREAD VESSEL LAVATORY WITH
LEVER HANDLES 65790LF-PCLHP; HL5790-PC
Height: 127/8" Reach: 5" Max Flow: 1.5 gpm @ 60 psi
Available with Cross Handles
Available with optional Blue Glass or Swarovski Crystal Finial

D. BIDET WITH LEVER HANDLES 68490-PCLHP; HL5390-PC Available with Cross Handles

E. DOUBLE ROBE HOOK 69935-PC

F. WALL MIRROR 69980-PC Size: 23" x 36"

G. 24" DOUBLE TOWEL BAR 69925-PC (accepts decorative finials)

H. SIDE MOUNT FLUSH LEVER 69962-PC Available as Front Mount

I. SINGLE LIGHT FIXTURE 69970-PC Height: 13"

J. 18" TOWEL BAR 69918-PC (accepts decorative finials)
Available as 24"

K. TISSUE PAPER HOLDER 69950-PC

L. 8" MINI TOWEL BAR 69947-PC (accepts decorative finials)

M. OPTIONAL SWAROVSKI CRYSTAL FINIAL (available for lavatory, roman tub & select accessories)







RSVP® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60490-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. PRESSURE BALANCE TUB/SHOWER

T60P490-PC; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only

C. CEILING MOUNT RAINCAN SHOWERHEAD

RP48043PC 11" x 7" showerhead; RP48985PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. MULTI-FUNCTION WALL MOUNT SHOWERHEAD

RP48041PC 57/8" x 37/8" showerhead; RP48040PC 63/4" arm; Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

E. SLIDE BAR HANDSHOWER 89710-PC

Bar: 34" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

F. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86201-PC RP71649PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

G. RAINCAN SHOWERHEAD WITH $\mathrm{H}_2\mathrm{OKINETIC}^{\circledast}$

TECHNOLOGY 87390-PC

51/4" showerhead; RP62603PC 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

H. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84613-PC MASSAGING SPRAY HEAD SH84101-PC; T84613-PC INVIGORATING SPRAY HEAD SH84102-PC; T84613-PC

I. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-PC; T84613-PC Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

J. ROMAN TUB WITH CROSS HANDLES AND

HANDSHOWER T67490-PCLHP; HX790-PC Height: 93/4" Reach: 93/4" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles and optional Blue Glass or Swarovski Crystal Finial

Available without Handshower

K. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 11/4" Width from Wall: 23/4" Available as 12"







(A)

С

















^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.



SHOWN WITH:

MULTI-FUNCTION WALL MOUNT SHOWERHEAD RP48041BN; Wall Mount Shower Arm RP48040BN

SLIDE BAR HANDSHOWER 89710-BN

6-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE TRIM T60090-BN

TOUCH-CLEAN® BODY SPRAYS 84110-BN

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN
SHOWERHEAD RP48043PC
10" Ceiling Mount Shower Arm and Flange
RP48986PC

MULTI-FUNCTION WALL MOUNT SHOWERHEAD RP48041PC Wall Mount Shower Arm RP48040PC

SENSORI® VOLUME CONTROL TRIM – LEVER T66690-PC

SENSORI® THERMOSTATIC VALVE TRIM – LEVER T66T090-PC

SLIDE BAR HANDSHOWER 89710-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-PC

Hydrachoice™ Max Round Trim T84613-PC





SEAMLESS. DARING. DYNAMIC.

A study in contrast.

Combining geometric structure with natural inspiration, the Siderna Bath Collection by Brizo® represents the merging of two very different worlds. Its soft, flowing curves mimic the movement of cascading waterfalls, while its stark, crisp lines evoke modern sophistication.



















- A. WIDESPREAD LAVATORY WITH GREEN GLASS ACCENT HANDLES 65380LF-PCLHP; HL5381-PC Height: 81½" Reach: 6" Max Flow: 1.5 gpm @ 60 psi Available with All Metal and Solar Gray Glass Accent Handles
- B. SINGLE-HANDLE VESSEL LAVATORY 65480LF-PC Height: 1214" Reach: 5" Max Flow: 1.5 gpm @ 60 psi
- C. WALL MOUNT LAVATORY WITH SOLAR GRAY GLASS
 ACCENT HANDLES 65880LF-PCLHP; HL5382-PC
 Reach: 8 3/6" Max Flow: 1.5 gpm @ 60 psl
 Available with All Metal and Green Glass Accent Handles
- D. ROBE HOOKS-PAIR 693580-PC
- E. BIDET WITH ALL METAL HANDLES 68480-PCLHP; HL5380-PC Available with Green Glass and Solar Gray Glass Accent Handles
- F. SINGLE-HANDLE LAVATORY 65080LF-PC Height: 83/16" Reach: 5" Flow: 1.5 gpm @ 60 psi
- G. TOWEL RING 694680-PC
- H. TISSUE HOLDER 695080-PC
- I. 18" TOWEL BAR 691880-PC Available as 24"
- J. FRONT MOUNT FLUSH LEVER 696080-PC
 Available as Side Mount







SIDERNA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60480-PC; Showerhead Max Flow: 2.5 gpm @ 80 psi; (Rough sold separately)

Available as Shower Only and Valve Only

B. SQUARE CEILING MOUNT RAINCAN SHOWERHEAD\$

83341-PC $8^5/6" \times 5^3/4"$ showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. RECTANGULAR RAINCAN SHOWERHEAD

81380-PC $8\,^5$ /s" x $5\,^3$ /s" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. SQUARE RAINCAN SHOWERHEAD WITH

H₂OKINETIC* TECHNOLOGY 87380-PC 53/8" showerhead; RP74448PC 7" arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. PRESSURE BALANCE VALVE TRIM T60P080-PC

(Rough sold separately)

F. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND SQUARE TRIM SH84103-PC; T84913-PC Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

G. WALL MOUNT HANDSHOWER 85880-PC

Hose: 60"; Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

H. SLIDE BAR HANDSHOWER 85780-PC

Bar: 25" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

I. EURO SQUARE HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC* TECHNOLOGY* 86280-PC RP74448PC 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

J. HYDRACHOICE $^{\rm TM}$ SPRAY HEADS WITH

H₂OKINETIC® TECHNOLOGY† AND SQUARE TRIM Height: 31½" Width: 31½" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-PC; T84913-PC MASSAGING SPRAY HEAD SH84101-PC; T84913-PC INVIGORATING SPRAY HEAD SH84102-PC; T84913-PC

K. ROMAN TUB WITH GREEN GLASS ACCENT HANDLES AND HANDSHOWER T67480-PCLHP; HL681-PC

Height: 93/4" Reach: 1015/16" Max Flow: 18.0 gpm @ 60 psi (Rough sold separately)

Available with All Metal and Solar Gray Glass Accent Handles Available without Handshower

L. SINGLE-HANDLE FREESTANDING TUB FILLER

T70180-PC; Height: 401/2" Reach: 9⁵/16" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

M. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-PC; Diameter: 11/4" Width from Wall: 23/4" Available as 12"





Е



B

С





















^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-BL 10" Shower Arm and Flange RP70765BL

SOUARE RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87380-BL; 16" Shower Arm and Flange RP71650BL

SLIDE BAR HANDSHOWER 85780-BL

6-FUNCTION DIVERTER TRIM T60980-BL

TEMPASSURE® THERMOSTATIC VALVE TRIM T60080-BL

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-BL Hydrachoice™ Max Square Trim T84913-BL

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RECTANGULAR RAINCAN SHOWERHEAD 81380-BN 6" Ceiling Mount Shower Arm and Flange

RP70764BN

SQUARE RAINCAN SHOWERHEAD WITH H₂OKINETIC* TECHNOLOGY 87380-BN; 7" Shower Arm and Flange RP74448BN

TOUCH-CLEAN® BODY SPRAYS 84110-BN

Available as square Touch-Clean Body Sprays

SENSORI® VOLUME CONTROL TRIM T66680-BN

SENSORI® THERMOSTATIC VALVE TRIM T66T080-BN



UNIQUE. STREAMLINED. SUBLIME.

A new kind of jet set.

Encapsulated in the silhouette of the striking Sotria Bath Collection by Brizo® is a myriad of influences: airplanes, automobile tail fins and the optimism of mid-century America. Its triangular spout architecture is echoed across a range of configurations and complimented by signature features, including closed and channel spout lavatory faucets, a freestanding tub filler, and a multi-function showerhead with exclusive H_oOkinetic® Technology.



- A. WIDESPREAD LAVATORY 65350LF-BL
 - Height: 5¹³/₃₂" Reach: 5³/₄" Max Flow: 1.5 gpm @ 60 psi
- B. WALL MOUNT CHANNEL LAVATORY T65851LF-BL Reach: 8 7/16" Max Flow: 1.5 gpm @ 60 psi

Reach: 87/16" Max Flow: 1.5 gpm @ 60 psi (Rough sold separately)

C. SINGLE-HANDLE LAVATORY 65050LF-BL

Height: 5⁵/8" Reach: 4⁵⁵/64" Max Flow: 1.5 gpm @ 60 psi

- D. SINGLE-HANDLE CHANNEL LAVATORY 65051LF-BL Height: 521/64" Reach: 519/32" Max Flow: 1.5 gpm @ 60 psi
- E. WIDESPREAD CHANNEL LAVATORY 65351LF-BL Height: 5 21/64" Reach: 5 21/32" Max Flow: 1.5 gpm @ 60 psi
- F. BIDET 68450-BL
- G. 18" TOWEL BAR 691850-BL Available as 24"
- H. 8" MINI TOWEL BAR 694750-BL
- I. UNIVERSAL FLUSH LEVER 696050-BL
- J. TISSUE HOLDER 695050-BL
- K. DRAWER PULL 699150-BL
- L. DRAWER KNOB 699250-BL
- M. DOUBLE ROBE HOOK 693550-BL











SOTRIA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60450-BL; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. 5-FUNCTION RAINCAN SHOWERHEAD WITH H2OKINETIC® TECHNOLOGY 87450-BL

7" showerhead; RP75722BL arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

C. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81350-BL

103/8" showerhead; RP48985BL 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L /min @ 550 kPa

D. PRESSURE BALANCE VALVE TRIM T60P050-BL (Rough sold separately)

E. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD† AND ROUND TRIM SH84103-BL; T84613-BL

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

F. SLIDE BAR HANDSHOWER WITH

H₂OKINETIC® TECHNOLOGY 88750-BL Bar: 183/8" Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

G. WALL MOUNT HANDSHOWER WITH

H₂OKINETIC® TECHNOLOGY 88850-BL; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L /min @ 550 kPa

H.EURO ROUND HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86275-BL RP74751BL 7" arm; Hose: 60" Max Flow: $2.5~\mathrm{gpm}$ @ $80~\mathrm{psi}$, $9.5~\mathrm{L/min}$ @ $550~\mathrm{kPa}$

I. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - top to bottom)

SOOTHING SPRAY HEAD SH84100-BL; T84613-BL MASSAGING SPRAY HEAD SH84101-BL; T84613-BL INVIGORATING SPRAY HEAD SH84102-BL; T84613-BL

J. SINGLE-HANDLE FREESTANDING TUB FILLER

T70150-BL; Height: 39" Reach: 1111/16" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)


K. ROMAN TUB WITH HANDSHOWER T67450-BL


Height: 71/2" Reach: 93/8" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available without Handshower

L. 24" ADA COMPLIANT CONTEMPORARY GRAB BAR*

69375-BL; Diameter: 11/4" Width From Wall: 23/4 Available as 12"



























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.



SHOWN WITH:

5-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87450-BL; Wall Mount Shower Arm RP75722BL

SLIDE BAR HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88750-BL

6-FUNCTION DIVERTER TRIM T60950-BI

TEMPASSURE® THERMOSTATIC VALVE TRIM T60050-BL

TOUCH-CLEAN® BODY SPRAYS 84110-BL

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81350-PN 6" Ceiling Mount Shower Arm and Flange

5-FUNCTION RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87450-PN; Wall Mount Shower Arm RP75722PN

WALL MOUNT HANDSHOWER WITH H₂OKINETIC® TECHNOLOGY 88850-PN

SENSORI® VOLUME CONTROL TRIM T66650-PN

SENSORI® THERMOSTATIC VALVE TRIM T66T050-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH TOUCH-CLEAN® SPRAY HEAD SH84103-PN HydraChoice™ Max Round Trim T84613-PN

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-PN HydraChoice™ Max Round Trim T84613-PN









ELEGANT. MODERN. ENDURING.

Bridging past and present.

The Tresa Bath Collection by Brizo® reunites us with the past by taking design elements from the earliest of European fountains. A simple bend in the neck and traditional styling provide the classic feel of these graceful structures.























A. WIDESPREAD LAVATORY WITH LEVER HANDLES

65336LF-PN; Height: 71/2" Reach: 7" Max Flow: 1.5 gpm @ 60 psi Available with Cross Handles

B. SINGLE-HANDLE LAVATORY 65036LF-PN

Max Height: 93/4" Reach: 63/4" Max Flow: 1.5 gpm @ 60 psi

C. SINGLE-HANDLE VESSEL LAVATORY 65436LF-PN Max Height: 153/4" Reach: 63/4" Max Flow: 1.5 gpm @ 60 psi

D. 8" BRIDGE LAVATORY WITH CROSS HANDLES

65538LF-PN; Height: 83/4" Reach: 7" Max Flow: 1.5 gpm @ 60 psi Available with Lever Handles

E. WALL MOUNT LAVATORY 65836LF-PN

Reach: $7^{\prime\prime}~$ Max Flow: 1.5 gpm @ 60 psi

F. BIDET WITH CROSS HANDLES 6310-PNLHP; HK33(C/H)-PN Available with Lever Handles

G. TOWEL RING 69546-PN

H. DOUBLE ROBE HOOK 69535-PN

I. TISSUE HOLDER 69550-PN

J. FRONT MOUNT FLUSH LEVER 69561-PN Available as Side Mount

K. 24" DOUBLE TOWEL BAR 69525-PN

L. 18" TOWEL BAR 69518-PN Available as 24"











TRESA® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60410-PN; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. TRADITIONAL PRESSURE BALANCE TUB/SHOWER

T60P410-PN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only

C. CEILING MOUNT RAINCAN SHOWERHEAD‡

83310-PN 11" showerhead; RP48985PN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH

H₂OKINETIC® TECHNOLOGY 87305PN

9" showerhead; RP62929PN 7" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

E. MULTI-FUNCTION SLIDE BAR HANDSHOWER

H₂OKINETIC® TECHNOLOGY 85710-PN Bar: 231/4" Hose: 60" Max Flow: 2.0 gpm @ 80 psi

F. MULTI-FUNCTION WALL MOUNT HANDSHOWER 85810-PN; RP36004PN Wall Mount Elbow; Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa G. WALL MOUNT HANDSHOWER RP41202PN

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa H. TRADITIONAL HYDRATI® 2|1 SHOWER WITH

RP36004PN Wall Mount Elbow: Hose: 60"

H₂OKINETIC® TECHNOLOGY 86200-PN

RP62929PN 7" arm: Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

I. ROMAN TUB WITH LEVER HANDLES AND HANDSHOWER

T67436-PN; Height: 81/2" Reach: 9" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available with Cross Handles

Available without Handshower

J. TWO-HANDLE DECK MOUNT FREESTANDING TUB FILLER WITH CROSS HANDLES

T70338-PN; T70210-PNLHP; RP73765PN Reach: 101/2" Max Flow: 12 gpm @ 60 psi (Rough sold separately)

Available with Lever Handles

Available as Floor Mount and Wall Mount

K. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-PN; Diameter: 11/4" Width From Wall: 23/4" Available as 12"

L. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND ROUND TRIM SH84103-PN; T84613-PN Height: $3^1\!/\!2''$ Width: $3^1\!/\!2''$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

M. HYDRACHOICE™ SPRAY HEADS WITH


H₂OKINETIC® TECHNOLOGY† AND ROUND TRIM Height: $3^{1}/2''$ Width: $3^{1}/2''$ Max Flow: 1.5 gpm @ 80 psi

(Rough sold separately)

(listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-PN; T84613-PN MASSAGING SPRAY HEAD SH84101-PN; T84613-PN INVIGORATING SPRAY HEAD SH84102-PN; T84613-PN































Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



SHOWN WITH:

RAINCAN SHOWERHEAD

RP52090PC; 16" Shower Arm and Flange RP54168PC

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH $H_2OKINETIC^{\circledast}$ TECHNOLOGY 85710-PC

6-FUNCTION DIVERTER TRIM T60910-PC

TEMPASSURE® THERMOSTATIC VALVE TRIM T60010-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH SOOTHING SPRAY HEAD

Hydrachoice™ Max Round Trim T84613-PC

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD 83310-PN

10" Ceiling Mount Shower Arm and Flange RP48986PN

RAINCAN SHOWERHEAD

RP52090PN; 16" Shower Arm and Flange RP54168PN

MULTI-FUNCTION SLIDE BAR HANDSHOWER WITH H2OKINETIC® TECHNOLOGY 85710-PN

SENSORI® THERMOSTATIC VALVE TRIM WITH CROSS HANDLE

SENSORI® VOLUME CONTROL TRIM WITH CROSS HANDLE

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PN

Hydrachoice™ Max Round Trim T84613-PN











SOOTHING. LIVELY. LYRICAL.

Sound with vision.

In the Vesi Bath Collection by Brizo, you will find the channel spout configuration captures the appearance, sound and feel of a babbling brook while creating a unique sensory experience. The fluid design of the curve spout creates a startling contrast between the crisp lines of its base.


















- A. WIDESPREAD CHANNEL LAVATORY† 65345LF-BN Height: 41/4" Reach: 51/8" Max Flow: 1.5 gpm @ 60 psi
- B. WIDESPREAD CURVE LAVATORY† 65340LF-BN Height: $4^1/4''$ Reach: $5^1/4''$ Max Flow: 1.5 gpm @ 60 psi
- C. BIDET 6340-BN
- D. UNIVERSAL FLUSH LEVER 696340-BN
- E. DOUBLE ROBE HOOK 693540-BN
- F. DRAWER KNOB 699240-BN
- G. 24" TOWEL BAR 69824-BN Available as 18"
- H. TOWEL RING 69846-BN
- I. TISSUE HOLDER 69850-BN
- J. DRAWER PULL 699140-BN









VESI® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60440-BN; Showerhead Max Flow: 2.5 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. VESI PRESSURE BALANCE TUB/SHOWER*

T60P440-BN; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only

C. SQUARE CEILING MOUNT RAINCAN SHOWERHEAD‡

83341-BN 8" showerhead; RP70764BN 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

D. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87340-BN

51/4" showerhead; RP71649BN 7" arm Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

E. WALL MOUNT HANDSHOWER RP41202BN

RP36004BN Wall Mount Elbow; Hose: 60" Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

F. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH H₂OKINETIC® TECHNOLOGY 86201-BN

RP71649BN 7" arm; Hose: 60" Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

G. MULTI-FUNCTION RAINCAN SHOWERHEAD

RP42431BN; 4⁷/s" showerhead; RP71649BN 7" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

H. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND SQUARE TRIM

Height: $3^{1}/2^{\prime\prime}$ Width: $3^{1}/2^{\prime\prime}$ Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right and top to bottom)
SOOTHING SPRAY HEAD SH84100-BN; T84913-BN
MASSAGING SPRAY HEAD SH84101-BN; T84913-BN
INVIGORATING SPRAY HEAD SH84102-BN: T84913-BN

I. HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD†

AND SOUARE TRIM SH84103-BN; T84913-BN Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

J. CHANNEL ROMAN TUB WITH HANDSHOWER

T67745-BN; Height: 6¹/4″ Reach: 9″ Max Flow: 18.0 gpm @ 60 psi (Rough sold separately)

Available without Handshower

K. CURVE ROMAN TUB WITH HANDSHOWER T67740-BN

Height: $6^3/4''$ Reach: $9^1/2''$ Max Flow: 18.0 gpm @ 60 psi (Rough sold separately)

Available without Handshower

L. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-BN; Diameter: $1^1/4''$ Width From Wall: $2^3/4''$ Available as 12''































SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87340-RB 7" Shower Arm And Flange RP71649RB

WALL MOUNT HANDSHOWER RP41202RB; Wall Mount Elbow RP36004RB

6-FUNCTION DIVERTER TRIM T60940-RB

TEMPASSURE® THERMOSTATIC VALVE TRIM T60040-RB

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY HEAD SH84101-RB

Hydrachoice™ Max Square Trim T84913-RB

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

MULTI-FUNCTION RAINCAN SHOWERHEAD RP42431BZ

7" Shower Arm and Flange RP71649BZ

WALL MOUNT HANDSHOWER

RP41202BZ; Wall Mount Elbow RP36004BZ

TOUCH-CLEAN® BODY SPRAYS

Available as square Touch-Clean Body Sprays

SENSORI® THERMOSTATIC VALVE TRIM T66T040-BZ

SENSORI® VOLUME CONTROL TRIM T66640-BZ









DIFFERENT. SURPRISING. DRAMATIC.

A simple twist.

The twists and flourishes of Old World wrought iron find bold new expression in the Virage Bath Collection by Brizo.® Combining modern sophistication with hints of art deco styling, Virage is a uniquely elegant form that adapts to almost any environment.























- A. WIDESPREAD LAVATORY 65330LF-PC Height: 727/32" Reach: 59/16" Max Flow: 1.5 gpm @ 60 psi
- B. WALL MOUNT LAVATORY 65830LF-PC Reach: $8\,1/2''$ Max Flow: 1.5 gpm @ 60 psi
- C. WIDESPREAD VESSEL LAVATORY 65430LF-PC Height: 1211/32" Reach: 59/16" Max Flow: 1.5 gpm @ 60 psi
- D. BIDET 68430-PC
- E. ROBE HOOK 693530-PC
- F. FRONT MOUNT FLUSH LEVER 696030-PC Available as Side Mount
- G. TISSUE HOLDER 695030-PC
- H. 18" TOWEL BAR 691830-PC Available as 24"
- I. WALL MIRROR 698030-PC Size: 20" x 30"
- J. TOWEL RING 694630-PC
- K. SINGLE LIGHT SCONCE 697030-PC Height: 107/8

AVAILABLE FINISHES















VIRAGE® TUB & SHOWER

A. TEMPASSURE® THERMOSTATIC TUB/SHOWER

T60430-PC; Showerhead Max Flow: 2.0 gpm @ 80 psi (Rough sold separately)

Available as Shower Only and Valve Only

B. CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY* 81330-PC

8" showerhead; RP70764PC 6" arm Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

C. RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PC

6" showerhead; RP62603PC 51/2" arm
Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

D. SLIDE BAR HANDSHOWER 85730-PC

Bar: 24" Hose: 60"

Max Flow: 2.0 gpm @ 80 psi, 7.6 L/min @ 550 kPa

E. WALL MOUNT HANDSHOWER 85830-PC

Hose: 60" Max Flow: 2.0 gpm @ 80 psi 7.6 L/min @ 550 kPa

F. TRANSITIONAL HYDRATI® 2|1 SHOWER WITH

H₂OKINETIC® TECHNOLOGY 86201-PC RP71649PC 7" arm; Hose: 60"

Max Flow: 2.5 gpm @ 80 psi, 9.5 L/min @ 550 kPa

G. HYDRACHOICE™ SPRAY HEADS WITH H₂OKINETIC® TECHNOLOGY† AND SQUARE TRIM

Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi

Height: 31/2° Width: 31/2° Max Flow: 1.5 gpm @ 80 p (Rough sold separately) (listed in order - left to right)

SOOTHING SPRAY HEAD SH84100-PC; T84913-PC
MASSAGING SPRAY HEAD SH84101-PC; T84913-PC
INVIGORATING SPRAY HEAD SH84102-PC; T84913-PC

H. HYDRACHOICETM TOUCH-CLEAN® SPRAY HEAD†

AND SQUARE TRIM SH84103-PC; T84913-PC Height: 31/2" Width: 31/2" Max Flow: 1.5 gpm @ 80 psi (Rough sold separately)

(listed in order - left to right)

I. ROMAN TUB WITH HANDSHOWER T67430-PC

Height: 95/16" Reach: 827/32" Max Flow: 18.5 gpm @ 60 psi (Rough sold separately)

Available without Handshower

J. SINGLE-HANDLE FREESTANDING TUB FILLER

T70130-PC; Height: 401½" Reach: 93%" Max Flow: 14.5 gpm @ 60 psi (Rough sold separately)

K. 24" ADA COMPLIANT TRADITIONAL GRAB BAR*

69310-PC; Diameter: $1^1/4''$ Width From Wall: $2^3/4''$ Available as 12''

Coordinating Pressure Balance showers available in select finishes. View Pressure Balance options on page 118.



























^{*} Select models and accessories not available in all finishes.

[†] Available with 1.0 gpm max flow rate.

[‡] Available with 2.0 gpm max flow rate.



TEMPASSURE® THERMOSTATIC CUSTOM SHOWER SYSTEM

SHOWN WITH:

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PC 5 ½" Shower Arm and Flange RP62603PC

SLIDE BAR HANDSHOWER 85730-PC

6-FUNCTION DIVERTER TRIM

TEMPASSURE® THERMOSTATIC VALVE TRIM T60030-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH MASSAGING SPRAY

HEAD SH84101-PC Hydrachoice™ Max Square Trim T84913-PC

HYDRACHOICE™ MAX BODY SPRAY SYSTEM WITH INVIGORATING SPRAY HEAD SH84102-PC

Hydrachoice™ Max Square Trim T84913-PC

View all TempAssure Thermostatic Custom Shower components starting on page 120.



SENSORI® CUSTOM SHOWER SYSTEM

SHOWN WITH:

CEILING MOUNT RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 81330-PN 6" Ceiling Mount Shower Arm and Flange

RAINCAN SHOWERHEAD WITH H₂OKINETIC® TECHNOLOGY 87330-PN Wall Mount Shower Arm RP62603PN

TOUCH-CLEAN® BODY SPRAYS 84110-PN

Available as square Touch-Clean Body Sprays

SENSORI® THERMOSTATIC VALVE TRIM T66T030-PN

SENSORI® VOLUME CONTROL TRIM

View all Sensori Custom Shower components starting on page 124.











PRESSURE BALANCE SHOWERS

A semi-customizable shower experience keeps simplicity in mind.

- Single-handle to turn water on/off and control temperature
- Single-function cartridge
- Max flow rate 7.4 gpm, 28.0 L/min*

VIEW PRESSURE BALANCE OPTIONS | PG 118

TEMPASSURE® THERMOSTATIC **SHOWERS**

More control means more possibilities with a semicustomizable thermostatic shower.

- Two handles for independent volume and temperature control
- Set desired water temperature once and return to it with every shower.
- Dual-function cartridge
- Max flow rate 8.6 gpm, 32.6 L/min*

VIEW TEMPASSURE OPTIONS | PG 120

SENSORI® SHOWERS

A completely customizable, completely indulgent shower experience.

- Separate volume controls for each component
- Max flow rate 12.0 gpm, 45.4 L/min*


VIEW SENSORI OPTIONS | PG 124




A better shower experience. While using less water.

By controlling water's shape, velocity and thermal dynamics, we've reinvented how you shower—creating a warmer, more luxurious spray that gives the feeling of a high-flow shower with a fraction of the water.

Available on Showerheads, Handshowers and Body Sprays.



This unique shower experience is created by harnessing the natural energy of water and directing it through hundreds of specially-engineered chambers in the showerhead.




Each channel is designed to create a vortex that oscillates water and sculpts it as it exits into a wave pattern that provides a dense, concentrated spray-to give the feeling of an indulgent shower, without wasting water.


H₂OKINETIC * **TECHNOLOGY** RESULTS IN:







LARGER DROPLET SIZE Larger water droplets offer a more massaging shower.






THERMAL DYNAMICS Larger water drops and a dense spray pattern result in a warmer, more consistent shower experience.







CONSISTENT PRESSURE

While standard showerheads begin losing water pressure at 70 psi, H₂Okinetic showerheads maintain pressure up to 20 psi.

Choose your level of

Choosing a rough is the first step to getting the indulgent shower you are looking for. Use your desired experience and the Maximum Flow Rate Guide on the following page to determine the appropriate rough for your shower.



MultiChoice® Universal Rough

Once a MultiChoice® rough is installed, it is easy to upgrade the shower experience or update its style at any time, without having to go behind the wall. This means you can change your mind, change the style, or simply change it all.

(rough sold separately)



Pressure Balance Valve Trim

OR



Diverter Rough

(rough sold separately)

3- or 6- Function



3- or 6- Function Diverter Trim

Showerhead, Handshower, **Body Sprays**

Shower Components



MultiChoice® Universal Integrated Thermostatic Shower Diverter Rough

A sleek, streamlined option that provides the same flexibility as the MultiChoice® Universal Rough, but with the added convenience of not requiring a separate diverter.

(rough sold separately)



TempAssure®

Thermostatic Valve Trim

TempAssure® Thermostatic Valve with Diverter Trim Available as 3- or 6-Function

Showerhead, Handshower. **Body Sprays**

Shower Components



Sensori® Thermostatic Rough

A Sensori Thermostatic rough is key to our most luxurious shower for a completely customizable experience.

(rough sold separately)



Sensori® Thermostatic Valve Trim



Sensori® Volume Control Rough (rough sold separately)

Sensori® Volume Control Trim

each component and set of body sprays

Shower

Showerhead, Handshower, **Body Sprays**

Components Trim required for

MAXIMUM FLOW RATE GUIDE

PRESSURE BALANCE CARTRIDGE				
MULTICHOICE® UNIVERSAL ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port	
R60000-UNBX	4.6 gpm, 17.4 L/min	5.8 gpm, 22.0 L/min	6.8 gpm, 25.7 L/min	
R60000-UNWS	4.5 gpm, 17.0 L/min	5.6 gpm, 21.2 L/min	6.5 gpm, 24.6 L/min	
R60000-UNBXHF (High Flow)	5.9 gpm, 22.3 L/min	7.4 gpm, 28.0 L/min	8.7 gpm, 33.0 L/min	
R60000-UNWSHF (High Flow)	5.3 gpm, 20.0 L/min	6.6 gpm, 25.0 L/min	7.7 gpm, 29.1 L/min	

NOTES: R60000-UNBXHF and R60000-UNWSHF roughs for use with Custom Shower and Shower only applications. Must use R60000-UNBX or R60000-UNWS for Tub/Shower or Tub only applications. Adding a separate 3 or 6 function diverter will reduce flow rates. Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

TEMPASSURE® THERMOSTATIC CARTRIDGE				
MULTICHOICE® UNIVERSAL ROUGH	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port	
R60000-UNBX	5.6 gpm, 21.2 L/min	7.3 gpm, 27.6 L/min	8.5 gpm, 32.2 L/min	
R60000-UNWS	5.4 gpm, 20.4 L/min	6.7 gpm, 25.4 L/min	7.8 gpm, 29.5 L/min	
R60000-UNBXHF (High Flow)	7.0 gpm, 26.5 L/min	8.6 gpm, 32.6 L/min	9.9 gpm, 37.5 L/min	
R60000-UNWSHF (High Flow)	6.0 gpm, 22.7 L/min	7.4 gpm, 28.0 L/min	8.6 gpm, 32.6 L/min	

NOTES: R60000-UNBXHF and R60000-UNWSHF roughs for use with Custom Shower and Shower only applications. Must use R60000-UNBX or R60000-UNWS for Tub/Shower or Tub only applications. Adding a 3 or 6 function diverter will reduce flow rates. Flow rates vary by shower component. Other installation factors could impact maximum flow.

INTEGRATED TEMPASSURE® THERMOSTATIC CARTRIDGE				
40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port		
5.9 gpm, 22.4 L/min	7.2 gpm, 27.3 L/min	8.3 gpm, 36.1 L/min		
5.3 gpm, 20.0 L/min	6.5 gpm, 24.6 L/min	7.4 gpm, 28.1 L/min		
	40 PSI, 275 kPa Shower Port 5.9 gpm, 22.4 L/min	40 PSI, 275 kPa Shower Port 60 PSI, 414 kPa Shower Port 5.9 gpm, 22.4 L/min 7.2 gpm, 27.3 L/min		

NOTES: Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

SENSORI® THERMOSTATIC CARTRIDGE				
SENSORI® ROUGHS	40 PSI, 275 kPa Shower Port	60 PSI, 414 kPa Shower Port	80 PSI, 550 kPa Shower Port	
R66000-WS (Thermostatic Valve Rough Only)	9.5 gpm, 36.0 L/min	12.0 gpm, 45.4 L/min	13.4 gpm, 50.7 L/min	
R66000-WS (Thermostatic Valve Rough) & R35600 (Volume Control Rough)	7.5 gpm, 28.2 L/min	9.1 gpm, 34.6 L/min	10.5 gpm, 39.8 L/min	

NOTES: Volume controls are required for every outlet and every set of body sprays (up to 9.1 gpm @ 60 psi with R35600). Flow rates vary by shower component. Other installation factors could impact maximum flow rate.

PRESSURE BALANCE SHOWERS

Even the "basics" are anything but. Pressure balance showers flow at one volume and have a single handle for temperature control. This system features a specially engineered valve that dynamically compensates for changes in water pressure to maintain a constant shower temperature within $\pm~3.6^{\circ}$ F ($\pm2^{\circ}$ C).



AVAILABLE COLLECTION TRIMS



^{*} Must order as shower only or tub/shower package.



AVAILABLE COLLECTION TRIMS (cont'd)



Siderna® | PG 90

Complements Loki® collection



Traditional* | PG 98 Complements Baliza®, Charlotte®, Rook™ and Tresa® collections




Sotria[®] | PG 94



Vesi[®]* | PG 102 Complements Virage® collection

TEMPASSURE® THERMOSTATIC SHOWERS

A shower experience that is all about control. TempAssure Thermostatic showers have separate volume and temperature controls for a completely personal experience. The valve functions like a thermostat, so you only have to set your desired temperature once and you can return to it with every shower, while also maintaining a consistent water temperature $\pm 3.6^{\circ}F$ ($\pm 2^{\circ}C$).



AVAILABLE COLLECTION TRIMS



Baliza® | PG 54



Charlotte® | PG 58



Litze[™] | PG 62




Odin[™] | PG 70 Complements Quiessence[®] collection



Jason Wu ∣ PG 74 for Brizo[™]



 $\mathsf{Rook}^{^{\mathsf{m}}} \mid \mathsf{PG} \mathsf{82}$



AVAILABLE COLLECTION TRIMS (cont'd)



RSVP® | PG 86



Siderna® | PG 90 Complements Loki® collection



Sotria® | PG 94



Traditional | PG 98 Complements Tresa® collection



Vesi® | PG 102



Virage® | PG 106

TEMPASSURE® THERMOSTATIC SHOWERS + INTEGRATED DIVERTER

Combining temperature, volume and diverter control into one unit, the TempAssure Thermostatic Shower with Integrated Diverter simplifies and streamlines your custom shower design. The valve functions like a thermostat, so you only have to set your desired temperature once and you can return to it with every shower, while also maintaining a consistent water temperature $\pm 3.6^{\circ} F ~(\pm 2^{\circ} C)$.



AVAILABLE COLLECTION TRIMS



Litze™ | PG 62



Rook™ | PG 82



SENSORI® SHOWERS

Limitless is an understatement with our completely customizable Sensori shower system. All Sensori showers allow for separate control of both temperature and volume, with independent volume controls to activate each component individually, while maintaining a consistent water temperature $\pm 3.6^{\circ} F$ ($\pm 2^{\circ} C$).




AVAILABLE COLLECTION TRIMS AND VOLUME CONTROLS

Baliza® | PG 54



Odin[™] | PG 70



 $Complements \ {\it Quiessence}^{\it @} \ collection$

Charlotte® | PG 58



Jason Wu for Brizo™ | PG 74




Litze™ | PG 62



Rook™ | PG 82





AVAILABLE COLLECTION TRIMS AND VOLUME CONTROLS (cont'd)

RSVP® | PG 86



Traditional | PG 98




Complements Tresa® collection

Siderna® | PG 90



Complements Loki® collection

Vesi® | PG 102



Sotria® | PG 94



Virage® | PG 106



WALL MOUNT SHOWERHEADS

With a large selection of available styles, our wall mount showerheads are beautiful starting points—or finishing touches—for any bath.



AVAILABLE SHOWERHEADS



Baliza®† | PG 54 Complements Tresa® collection



Charlotte^{®†} | PG 58



Jason Wu | PG 74 for Brizo^{™†}



Litze^{™†} | PG 62



Odin^{™†} | PG 70 Complements Quiessence® and Sotria® collections



Rook^{™†} | PG 82



RSVP®+ | PG 86



Siderna®† | PG 90 Complements Loki® collection



Sotria®† | PG 94



Traditional | PG 98 Complements Baliza®, Rook™and Tresa® collections



Vesi^{®†} | PG 102



Virage®† | PG 106

CEILING MOUNT RAINCAN SHOWERHEADS

Ceiling mount raincan showerheads are a stylish centerpiece in any custom shower system and provide a superior shower experience.



AVAILABLE SHOWERHEADS



Charlotte® | PG 58



Jason Wu | PG 74 for Brizo™†



Odin^{™†} | PG 70 Complements Litze[™] and Quiessence[®] collections



Litze^{™†} | PG 62 Complements Odin[™] collection



RSVP® | PG 86



Siderna®† | PG 90 Complements Loki® collection



Sotria® | PG 94



Traditional[†] | PG 98 Complements Baliza[®], Rook[™] and Tresa[®] collections



Vesi®† | PG 102 Complements Loki® and Siderna® collections



Virage®t | PG 106









HYDRATI® 2|1 SHOWERS



Hydrati 2|1 showers offer resounding proof that design, performance and flexibility aren't mutually exclusive. Featuring a showerhead design with an integrated handshower—seamlessly held in place using MagneDock® Technology—Hydrati 2|1 showers effortlessly adjust to a wide range of uses. And both the showerhead and handshower incorporate H₂Okinetic® Technology, for an immersive, indulgent experience while using

Traditional Round

86200

Available in PC, PN, NK, BN, BZ, RB, NKBL



Transitional Square

86201

Available in PC, PN, BN, BZ, RB, PNCO



Euro Round

86275

Available in PC, PN, NK, BN, GL, BL



Euro Square


86280

Available in PC, BN, BL



Jason Wu | PG 74 for Brizo™ Charlotte® | PG 58 **Euro** | PG 70 Litze™ | PG 62 Odin[™] | PG 70 Rook™ | PG 82 Complements Odin™ and Also available Complements Quiessence® collections without wheel Quiessence® collection $\mathsf{RSVP}^{\texttt{®}} \mid \mathsf{PG} \mathsf{86}$ Siderna® | PG 90 Sotria® | PG 94 Traditional | PG 98 Virage® | PG 106 Complements Loki® Complements Baliza® collection and Tresa® collections

A wall mount handshower emphasizes simplicity, providing a clean, minimal look.



HYDRACHOICE™ MAX BODY SPRAY SYSTEM

EXPERIENCE THE LUXURY OF A CUSTOM FIT.

Customization is a luxury that people have been chasing since the dawn of time. We like to put our stamp on things. And claim them as our own.

We also like the symmetry, comfort and pleasure that comes with the perfect fit. We tailor our pants, we hem our dresses, and we personalize everything from the shoes we wear to the mattresses we sleep on.

And now, with its clean lines and flush mount design, the HydraChoice Max Body Spray System has the power to customize your shower. The system also offers a choice of four interchangeable spray heads. Spray options include Invigorating, Massaging, and Soothing, all featuring H₂Okinetic® Technology, as well as a full spray option featuring Touch-Clean® nozzles.

With the HydraChoice Max Body Spray System, your shower transforms from being just another part of the morning routine, to a personal sanctuary, unique to only you.





The HydraChoice Max Body Spray System offers the clean lines of a flush mount design with maximum flexibility and functionality. The spray heads extend automatically when water is turned on and can be adjusted 50 degrees in any direction, allowing you to aim the water exactly where it's wanted. Must order HydraChoice Rough, HydraChoice Max round or square trim, and desired spray heads separately.



HYDRACHOICE™ SOOTHING SPRAY HEAD WITH H₂OKINETIC® **TECHNOLOGY**



HYDRACHOICE™ **INVIGORATING** SPRAY HEAD WITH H₂OKINETIC® **TECHNOLOGY**




HYDRACHOICE™ MASSAGING SPRAY HEAD WITH H₂OKINETIC® **TECHNOLOGY**



HYDRACHOICE™ TOUCH-CLEAN® SPRAY HEAD




AVAILABLE FINISHES











SLEEK. STYLISH. SECURE.

Luxury, without limits.

The bath is an individual space designed to meet different styles and needs and Decorative ADA Grab Bars by Brizo® are made to do the same. Available in traditional and contemporary styles, these decorative grab bars coordinate with Brizo bath suites and are available in a range of finishes and sizes to complement any décor. They are also ADA-compliant supporting twice the requirement of the Americans with Disabilities Act up to 500 pounds (226 kg) of force when properly installed—to provide stabilizing security without sacrificing on style. Ultimately, Decorative Grab Bars by Brizo are proof that beautiful design is universal.



- A. 24" TRADITIONAL GRAB BAR 69310-NK Diameter: 11/4" Width From Wall: 23/4"
- B. 24" CONTEMPORARY GRAB BAR 69375-NK Diameter: 11/4" Width From Wall: 23/4"
- C. 12" TRADITIONAL GRAB BAR 69210-NK Diameter: 11/4" Width From Wall: 23/4"
- D. 12" CONTEMPORARY GRAB BAR 69275-NK Diameter: 11/4" Width From Wall: 23/4"







AVAILABLE FINISHES















BRIZO.COM

A MASCO COMPANY

MASCO CANADA LIMITED 395 MATHESON BLVD. EAST MISSISSAUGA, ON L4Z 2H2 1 877 345 BRIZO (2749)

©2016 MASCO CORP. OF INDIANA

MKT-16-170 PRINTED DECEMBER 2016



